

CyberSource Simple Order API Release Notes

For Version 1.151

October 2018

CyberSource[®]
the power of payment

CyberSource Contact Information

For general information about our company, products, and services, go to <http://www.cybersource.com>.

For sales questions about any CyberSource Service, email sales@cybersource.com or call 650-432-7350 or 888-330-2300 (toll free in the United States).

For support information about any CyberSource Service, visit the Support Center at <http://www.cybersource.com/support>.

Copyright

© 2018 CyberSource Corporation. All rights reserved. CyberSource Corporation ("CyberSource") furnishes this document and the software described in this document under the applicable agreement between the reader of this document ("You") and CyberSource ("Agreement"). You may use this document and/or software only in accordance with the terms of the Agreement. Except as expressly set forth in the Agreement, the information contained in this document is subject to change without notice and therefore should not be interpreted in any way as a guarantee or warranty by CyberSource. CyberSource assumes no responsibility or liability for any errors that may appear in this document. The copyrighted software that accompanies this document is licensed to You for use only in strict accordance with the Agreement. You should read the Agreement carefully before using the software. Except as permitted by the Agreement, You may not reproduce any part of this document, store this document in a retrieval system, or transmit this document, in any form or by any means, electronic, mechanical, recording, or otherwise, without the prior written consent of CyberSource.

Restricted Rights Legends

For Government or defense agencies. Use, duplication, or disclosure by the Government or defense agencies is subject to restrictions as set forth the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013 and in similar clauses in the FAR and NASA FAR Supplement.

For civilian agencies. Use, reproduction, or disclosure is subject to restrictions set forth in subparagraphs (a) through (d) of the Commercial Computer Software Restricted Rights clause at 52.227-19 and the limitations set forth in CyberSource Corporation's standard commercial agreement for this software. Unpublished rights reserved under the copyright laws of the United States.

Trademarks

CyberSource, The Power of Payment, CyberSource Payment Manager, CyberSource Risk Manager, CyberSource Decision Manager, CyberSource Connect, Authorize.Net, and eCheck.net are trademarks and/or service marks of CyberSource Corporation. All other brands and product names are trademarks or registered trademarks of their respective owners.

Contents

About This Guide 6

For XML Users 6

For SOAP Users 6

Chapter 1 **Release Notes for Version 1.151** 7

Version 1.151 7

New Request Fields 7

New Reply Fields 7

Newly Documented Request Fields 8

Chapter 2 **Release Notes for Version 1.150** 9

Version 1.150 9

New Request Fields 9

Newly Documented Request Fields 9

Chapter 3 **Release Notes for Version 1.149** 10

Version 1.149 10

New Request Fields 10

New Reply Fields 13

Newly Documented Request Fields 17

Newly Documented Reply Fields 18

Chapter 4 **Release Notes for Version 1.148** 19

Version 1.148 19

New Request Fields 19

Newly Documented Request Fields 19

Chapter 5 **Release Notes for Version 1.147** 20

- Version 1.147 20
 - New Request Fields 20
- Newly Documented Request Fields 21
- Newly Documented Reply Fields 22

Chapter 6 **Release Notes for Version 1.146** 25

- Version 1.146 25
 - New Request Fields 25
 - New Reply Fields 27

Chapter 7 **Release Notes for Version 1.145** 28

- Version 1.145 28
 - New Request Fields 28
 - Renamed Request Fields 28
 - New Reply Fields 30
- Newly Documented Reply Field 30

Chapter 8 **Release Notes for Versions 1.143 and 1.144** 31

- Version 1.143 31
 - New Request Fields 31
 - New Reply Fields 39
- Newly Documented Request Fields 45
- Newly Documented Reply Fields 46
- Version 1.144 46

Chapter 9 **Release Notes for Version 1.142** 47

- Version 1.142 47
 - Newly Documented Request Field 47
 - Newly Documented Reply Field 48

Chapter 10 **Release Notes for Version 1.141** 49

- Version 1.141 49
 - New Request Fields 49
 - New Reply Fields 50
 - Renamed Reply Fields 50

Newly Documented Request Field	51
Newly Documented Reply Field	51

Chapter 11 **Release Notes for Version 1.140** **52**

Version 1.140	52
New Request Fields	52
New Reply Fields	53
Removed Reply Field	55
Renamed Reply Field	55
Newly Documented Reply Field	55

Chapter 12 **Release Notes for Version 1.139** **56**

Version 1.139	56
New Request Fields	56
New Reply Fields	57
Removed Reply Fields	57

About This Guide

In these release notes, each chapter lists fields that have been changed or added to the Simple Order API since the previous version. This guide contains information for the most recent 12 releases. See the implementation guides at the [Support Center](#) for details about using the API to request ICS services.

These release notes use the name-value pair field names to show the changes made to the API.

For XML Users

In the release notes, when changes to the name-value pair fields are presented, notes describing the corresponding changes in the XML element names are also included. The examples show an element's child elements in no particular order. See the XML schema for the required order of elements in your XML messages.

**Note**

See the current version of the XML schema at:
<https://ics2ws.ic3.com/commerce/1.x/transactionProcessor>.

For SOAP Users

With the changes to existing elements and the addition of new XML elements to the schema, you will see parallel changes in the existing proxy classes or the addition of new proxy classes in the SOAP implementations.

Release Notes for Version 1.151

Version 1.151

New Request Fields

Table 1 New Request Fields for Version 1.151

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
taxService_ commitIndicator	<commitIndicator> is a new child element of <taxService>.	Documentation for this field will be published soon.
taxService_ refundIndicator	<refundIndicator> is a new child element of <taxService>.	Documentation for this field will be published soon.
taxService_ dateOverrideReason	<dateOverrideReason> is a new child element of <taxService>.	Documentation for this field will be published soon.
taxService_ reportingDate	<reportingDate> is a new child element of <taxService>.	Documentation for this field will be published soon.

New Reply Fields

Table 2 New Reply Fields for Version 1.151

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
taxReply_ commitIndicator	<commitIndicator> is a new child element of <taxReply>.	Documentation for this field will be published soon.
taxReply_ refundIndicator	<refundIndicator> is a new child element of <taxReply>.	Documentation for this field will be published soon.

Newly Documented Request Fields

Table 3 Newly Documented Request Fields

Name-Value Pair Field Name	Where Field Is Documented	Notes
subsequentAuth OriginalAmount	<i>Payment Network Tokenization Using the Simple Order API</i>	This field was originally documented in Version 1.143.

Release Notes for Version 1.150

Version 1.150

New Request Fields

Table 4 New Request Fields for Version 1.150

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
ccAuthService_leastCostRouting	<leastCostRouting> is a new child element of <ccAuthService>.	Documentation for this field will be published soon.
clientMetadataID	<clientMetadataID> is a new child element of <requestMessage>.	Documentation for this field will be published soon.

Newly Documented Request Fields

Table 5 Newly Documented Request Fields

Name-Value Pair Field Name	Where Field Is Documented	Notes
card_brands_id	<i>BIN Lookup Service Using the Simple Order API</i>	These fields were originally documented in Version 1.148.
card_brands_name		
card_brands_type		

Release Notes for Version 1.149

Version 1.149

New Request Fields

Table 6 New Request Fields for Version 1.149

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
giftCard_ originalRequestID	<giftCard> is a new child element of <requestMessage>.	Documentation for these fields will be published soon.
giftCard_ redemptionType	<giftCard> <originalRequestID>	
giftCard_ count	<redemptionType>	
giftCard_ escheatable	<count>	
giftCard_ groupID	<escheatable>	
giftCard_ securityValue	<groupID>	
giftCard_ transactionPostingDate	<securityValue>	
giftCard_ additionalAccount Number	<transactionPosting Date <additionalAccount Number>	
giftCard_ promoCode	<promoCode>	
giftCard_ balanceCurrency	<balanceCurrency>	
giftCard_ extendedAccount Number	<extendedAccount Number>	
giftCard_ previousBalance	<previousBalance> <currentBalance> <baseCurrencyPrevious Balance>	

Table 6 New Request Fields for Version 1.149 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
giftCard_ currentBalance	<baseCurrencyCurrent Balance	
giftCard_ baseCurrencyPrevious Balance	<baseCurrencyCashback Amount>	
giftCard_ baseCurrencyCurrentB alance	<baseCurrency> <expirationDate> <exchangeRate>	
giftCard_ baseCurrencyCashback Amount	<bonusAmount> <discountAmount>	
giftCard_baseCurrency	</giftCard>	
giftCard_expirationDate		
giftCard_exchangeRate		
giftCard_bonusAmount		
giftCard_ discountAmount		
giftCardActivation Service_ reconciliationID	<giftCardActivation Service> is a new child element of <requestMessage>.	Documentation for these fields will be published soon.
giftCardActivation Service_ commerceIndicator	<giftCardActivation Service> <reconciliationID> <commerceIndicator> <run>	
giftCardActivation Service_run	</giftCardActivation Service>	
giftCardBalanceInquiry Service_ reconciliationID	<giftCardBalanceInquiry Service> is a new child element of <requestMessage>.	Documentation for these fields will be published soon.
giftCardBalanceInquiry Service_ commerceIndicator	<giftCardBalanceInquiry Service> <reconciliationID> <commerceIndicator> <run>	
giftCardBalanceInquiry Service_run	</giftCardBalanceInquiry Service>	

Table 6 New Request Fields for Version 1.149 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
giftCardRedemptionService_reconciliationID	<giftCardRedemptionService> is a new child element of <requestMessage>.	Documentation for these fields will be published soon.
giftCardRedemptionService_commerceIndicator	<giftCardRedemptionService>	
giftCardRedemptionService_run	<reconciliationID> <commerceIndicator> <run> </giftCardRedemptionService>	
giftCardReversalService_run	<giftCardReversalService> is a new child element of <requestMessage>. <giftCardReversalService> <run> </giftCardReversalService>	Documentation for these fields will be published soon.
giftCardVoidService_run	<giftCardVoidService> is a new child element of <requestMessage>. <giftCardVoidService> <run> </giftCardVoidService>	Documentation for these fields will be published soon.
invoiceHeader_clerkID	<clerkID> is a new child element of <invoiceHeader>.	Documentation for this field will be published soon.
invoiceHeader_customData_1	<customData_1> is a new child element of <invoiceHeader>.	Credit Card Services Using the Simple Order API
pos_terminalModel	<terminalModel> is a new child element of <pos>.	Documentation for this field will be published soon.

New Reply Fields

Table 7 New Reply Fields for Version 1.149

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
cashbackAmount	<cashbackAmount> is a new child element of <replyMessage>.	Documentation for this field will be published soon.
customerID	<customerID> is a new child element of <replyMessage>.	Documentation for this field will be published soon.
encryptedPayment_ keySerialNumber	<keySerialNumber> is a new child element of <encryptedPayment>.	Documentation for this field will be published soon.

Table 7 New Reply Fields for Version 1.149 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
giftCard_ originalRequestID	<giftCard> is a new child element of <replyMessage>.	Documentation for these fields will be published soon.
giftCard_ redemptionType	<giftCard> <originalRequestID>	
giftCard_ count	<redemptionType>	
giftCard_ escheatable	<count>	
giftCard_ groupID	<escheatable>	
giftCard_ securityValue	<groupID>	
giftCard_ transactionPostingDate	<securityValue>	
giftCard_ additionalAccount Number	<transactionPosting Date <additionalAccount Number>	
giftCard_ promoCode	<promoCode>	
giftCard_ balanceCurrency	<balanceCurrency>	
giftCard_ extendedAccount Number	<extendedAccount Number>	
giftCard_ previousBalance	<previousBalance>	
giftCard_ currentBalance	<currentBalance>	
giftCard_ baseCurrencyPrevious Balance	<baseCurrencyPrevious Balance>	
giftCard_ baseCurrencyCurrent Balance	<baseCurrencyCurrent Balance>	
giftCard_ baseCurrencyCashback Amount	<baseCurrencyCashback Amount>	
giftCard_ baseCurrencyCashback Amount	<baseCurrency>	
giftCard_ baseCurrencyCashback Amount	<expirationDate>	
giftCard_ baseCurrencyCashback Amount	<exchangeRate>	
giftCard_ baseCurrencyCashback Amount	<bonusAmount>	
giftCard_ expirationDate	<discountAmount>	
giftCard_ exchangeRate	</giftCard>	
giftCard_ bonusAmount		
giftCard_ discountAmount		

Table 7 New Reply Fields for Version 1.149 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
giftCardActivationReply _reasonCode	<code><giftCardActivationReply></code> is a new child element of <code><replyMessage></code> .	Documentation for these fields will be published soon.
giftCardActivationReply _authorizationCode	<code><giftCardActivationReply></code>	
giftCardActivationReply _processorResponse	<code><reasonCode></code>	
giftCardActivationReply _requestDateTime	<code><authorizationCode></code>	
giftCardActivationReply _reconciliationID	<code><processorResponse></code> <code><requestDateTime></code> <code><reconciliationID></code>	
	<code></giftCardActivation Reply></code>	
giftCardBalanceInquiry Reply_reasonCode	<code><giftCardBalanceInquiry Reply></code> is a new child element of <code><replyMessage></code> .	Documentation for these fields will be published soon.
giftCardBalanceInquiry Reply__ authorizationCode	<code><giftCardBalanceInquiry Reply></code>	
giftCardBalanceInquiry Reply__ processorResponse	<code><reasonCode></code>	
giftCardBalanceInquiry Reply__ requestDateTime	<code><authorizationCode></code> <code><processorResponse></code> <code><requestDateTime></code>	
giftCardBalanceInquiry Reply__reconciliationID	<code><reconciliationID></code>	
	<code></giftCardBalanceInquiry Reply></code>	
giftCardRedemptionRe ply_reasonCode	<code><giftCardRedemptionReply></code> is a new child element of <code><replyMessage></code> .	Documentation for these fields will be published soon.
giftCardRedemption Reply__ authorizationCode	<code><giftCardRedemptionReply></code>	
giftCardRedemption Reply__ processorResponse	<code><reasonCode></code>	
giftCardRedemption Reply__ requestDateTime	<code><authorizationCode></code> <code><processorResponse></code> <code><requestDateTime></code>	
giftCardRedemption Reply__reconciliationID	<code><reconciliationID></code>	
	<code></giftCardRedemption Reply></code>	

Table 7 New Reply Fields for Version 1.149 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
giftCardReversalReply_ reasonCode	<giftCardReversalReply> is a new child element of <replyMessage>.	Documentation for these fields will be published soon.
giftCardReversalReply_ _authorizationCode	<giftCardReversalReply>	
giftCardReversalReply_ _processorResponse	<reasonCode>	
giftCardReversalReply_ _requestDateTime	<authorizationCode>	
giftCardReversalReply_ _reconciliationID	<processorResponse>	
	<requestDateTime>	
	<reconciliationID>	
	</giftCardReversalReply>	
giftCardVoidReply_ reasonCode	<giftCardVoidReply> is a new child element of <replyMessage>.	Documentation for these fields will be published soon.
giftCardVoidReply_ _authorizationCode	<giftCardVoidReply>	
giftCardVoidReply_ _processorResponse	<reasonCode>	
giftCardVoidReply_ _requestDateTime	<authorizationCode>	
giftCardVoidReply_ _reconciliationID	<processorResponse>	
	<requestDateTime>	
	<reconciliationID>	
	</giftCardVoidReply>	

Newly Documented Request Fields

Table 8 Newly Documented Request Fields

Name-Value Pair Field Name	Where Field Is Documented	Notes
apUI_colorBorder	<i>Klarna Services Using the Simple Order API</i>	These fields were originally documented in Version 1.131.
apUI_colorBorderSelected		
apUI_colorButton		
apUI_colorButtonText		
apUI_colorCheckbox		
apUI_colorCheckboxCheck Mark		
apUI_colorHeader		
apUI_colorLink		
apUI_colorText		
apUI_borderRadius		
apUI_theme		
cardTypeSelection Indicator	<i>Credit Card Services Using the Simple Order API</i>	This field was originally documented in Version 1.141.
postdatedTransaction_guaranteeIndicator	<i>Credit Card Services Using the Simple Order API</i>	These fields were originally documented in Version 1.143.
postdatedTransaction_guaranteeAmount		
postdatedTransaction_settlementDate		

Newly Documented Reply Fields

Table 9 Newly Documented Reply Fields

Name-Value Pair Field Name	Where Field Is Documented	Notes
apAuthReply_ paymentStatus	<i>Klarna Services Using the Simple Order API</i>	These fields were originally documented in Version 1.123.
apAuthReply_ responseCode		
apAuthReply_ merchantURL		
apAuthReply_ reconciliationID		
apCaptureReply_ paymentStatus		
apCaptureReply_ responseCode		

Release Notes for Version 1.148

Version 1.148

New Request Fields

Table 10 New Request Fields for Version 1.148

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<code>card_brands_name</code>	<code><brands_name></code> is a new child element of <code><card></code> .	Documentation for this field will be published soon.
<code>card_brands_type</code>	<code><brands_type></code> is a new child element of <code><card></code> .	Documentation for this field will be published soon.
<code>card_brands_id</code>	<code><brands_id></code> is a new child element of <code><card></code> .	Documentation for this field will be published soon.

Newly Documented Request Fields

Table 11 Newly Documented Request Fields

Name-Value Pair Field Name	Where Field Is Documented	Notes
<code>card_productName</code>	Credit Card Services Using the Simple Order API	This field was originally documented in Version 1.143.

Release Notes for Version 1.147

Version 1.147

New Request Fields

Table 12 New Request Fields for Version 1.147

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
card_prepaidReloadable	<prepaidReloadable> is a new child element of <card>.	Documentation for this field will be published soon.
card_prepaidType	<prepaidType> is a new child element of <card>.	Documentation for this field will be published soon.
card_virtual	<virtual> is a new child element of <card>.	Documentation for this field will be published soon.
category_affiliate category_campaign category_group	<category> is a new child element of <requestMessage>. <category> <affiliate> <campaign> <group> </category>	Documentation for these fields will be published soon.

Newly Documented Request Fields

Table 13 Newly Documented Request Fields

Name-Value Pair Field Name	Where Field Is Documented	Notes
pinDebitPurchaseService_networkOrder	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitPurchaseService_commerceIndicator	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitPurchaseService_partialAuthIndicator	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitCreditService_networkOrder	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitCreditService_commerceIndicator	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDataEncryptedPin	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDataKeySerialNumber	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
cashbackAmount	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDataPinBlockEncodingFormat	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.143
voidReply_reversalSubmitted	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.143.

Newly Documented Reply Fields

Table 14 Newly Documented Reply Fields

Name-Value Pair Field Name	Where Field Is Documented	Notes
pinDebitPurchaseReply _reasonCode	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitPurchaseReply _processorResponse	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitPurchaseReply _authorizationCode	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitPurchaseReply _reconciliationID	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitPurchaseReply _networkCode	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitPurchaseReply _transactionID	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitPurchaseReply _requestAmount	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitPurchaseReply _requestCurrency	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitPurchaseReply _amount	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitPurchaseReply _dateTime	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitCreditReply_ reasonCode	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitCreditReply_ processorResponse	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitCreditReply_ authorizationCode	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.

Table 14 Newly Documented Reply Fields (Continued)

Name-Value Pair Field Name	Where Field Is Documented	Notes
pinDebitCreditReply_ reconciliationID	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitCreditReply_ networkCode	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitCreditReply_ transactionID	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitCreditReply_ amount	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitCreditReply_ dateTime	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitReversalReply_ _reasonCode	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitPurchaseReply_ _processorResponse	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitPurchaseReply_ _reconciliationID	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitPurchaseReply_ _amount	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
pinDebitPurchaseReply_ _dateTime	<i>PIN Debit Services Using the Simple Order API</i>	This field was originally documented in Version 1.75.
paySubscriptionCreate Reply_ instrumentIdentifierID	<i>Token Management Services Using the Simple Order API</i>	This field was originally documented in Version 1.135.
paySubscriptionCreate Reply_ instrumentIdentifier Status	<i>Token Management Services Using the Simple Order API</i>	This field was originally documented in Version 1.135.
paySubscriptionCreate Reply_ instrumentIdentifier New	<i>Token Management Services Using the Simple Order API</i>	This field was originally documented in Version 1.135.

Table 14 Newly Documented Reply Fields (Continued)

Name-Value Pair Field Name	Where Field Is Documented	Notes
paySubscriptionCreate Reply_ instrumentIdentifierID New	<i>Token Management Services Using the Simple Order API</i>	This field was originally documented in Version 1.135.
paySubscription RetrieveReply_ instrumentIdentifierID	<i>Token Management Services Using the Simple Order API</i>	This field was originally documented in Version 1.135.
paySubscription RetrieveReply_ instrumentIdentifier Status	<i>Token Management Services Using the Simple Order API</i>	This field was originally documented in Version 1.135.
paySubscription RetrieveReply_ instrumentIdentifierID New	<i>Token Management Services Using the Simple Order API</i>	This field was originally documented in Version 1.135.
paySubscriptionDelete Reply_ instrumentIdentifierID	<i>Token Management Services Using the Simple Order API</i>	This field was originally documented in Version 1.135.
routing_networkType	<i>Card-Present Processing Using the Simple Order API</i>	This field was originally documented in Version 1.143.
routing_networkLabel	<i>Card-Present Processing Using the Simple Order API</i>	This field was originally documented in Version 1.143.
routing_ signatureCVMRequired	<i>Card-Present Processing Using the Simple Order API</i>	This field was originally documented in Version 1.143.
voidReply_ reversalSubmitted	<i>Credit Card Services Using the Simple Order API</i>	This field was originally documented in Version 1.143.

Release Notes for Version 1.146

Version 1.146

New Request Fields

Table 15 New Request Fields for Version 1.146

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
billTo_companyStreet1	<companyStreet1> is a new child element of <billTo>.	Level II and Level III Processing Using the Simple Order API
billTo_companyStreet2	<companyStreet2> is a new child element of <billTo>.	Level II and Level III Processing Using the Simple Order API
billTo_companyCity	<companyCity> is a new child element of <billTo>.	Level II and Level III Processing Using the Simple Order API
billTo_companyCountry	<companyCountry> is a new child element of <billTo>.	Level II and Level III Processing Using the Simple Order API
billTo_companyState	<companyState> is a new child element of <billTo>.	Level II and Level III Processing Using the Simple Order API
billTo_companyPostalCode	<companyPostalCode> is a new child element of <billTo>.	Level II and Level III Processing Using the Simple Order API
fraudUpdateService_markingTransactionDate	<markingTransactionDate> is a new child element of <fraudUpdateService>.	Documentation for this field will be published soon.
fraudUpdateService_markingAmount	<markingAmount> is a new child element of <fraudUpdateService>.	Documentation for this field will be published soon.

Table 15 New Request Fields for Version 1.146 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
fraudUpdateService_ markingCurrency	<markingCurrency> is a new child element of <fraudUpdateService>.	Documentation for this field will be published soon.
fraudUpdateService_ markingIndicator	<markingIndicator> is a new child element of <fraudUpdateService>.	Documentation for this field will be published soon.
invoiceHeader_ referenceDataCode	<invoiceHeader> is a new child element of <referenceDataCode>.	Level II and Level III Processing Using the Simple Order API
invoiceHeader_ referenceDataNumber	<invoiceHeader> is a new child element of <referenceDataNumber>.	Level II and Level III Processing Using the Simple Order API
item_ weightAmount	<weightAmount> is a new child element of <item>.	Level II and Level III Processing Using the Simple Order API
item_ weightID	<weightID> is a new child element of <item>.	Level II and Level III Processing Using the Simple Order API
item_ weightUnit Measurement	<weightUnitMeasurement> is a new child element of <item>.	Level II and Level III Processing Using the Simple Order API
item_ otherTax_#_ type	<otherTax_#_type> is a new child element of <item>.	Level II and Level III Processing Using the Simple Order API
item_ otherTax_#_ amount	<otherTax_#_amount> is a new child element of <item>.	Level II and Level III Processing Using the Simple Order API
item_ otherTax_#_ rate	<otherTax_#_rate> is a new child element of <item>.	Level II and Level III Processing Using the Simple Order API
item_ otherTax_#_ statusIndicator	<otherTax_#_ statusIndicator> is a new child element of <item>.	Level II and Level III Processing Using the Simple Order API
item_ referenceData_#_ number	<referenceData_#_number> is a new child element of <item>.	Level II and Level III Processing Using the Simple Order API
item_ referenceData_#_ code	<referenceData_#_code> is a new child element of <item>.	Level II and Level III Processing Using the Simple Order API
pos_ endlessAisle TransactionIndicator	<endlessAisleTransaction Indicator> is a new child element of <pos>.	Documentation for this field will be published soon.

New Reply Fields

Table 16 New Reply Fields for Version 1.146

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
decisionReply_ providerFields_ provider_#_name	<providerFields_provider_ #_name> is a new child element of <decisionReply>.	<i>Decision Manager Using the Simple Order API Developer Guide</i>
decisionReply_ providerFields_#_field_ #_name	<providerFields_#_field_ #_name> is a new child element of <decisionReply>.	<i>Decision Manager Using the Simple Order API Developer Guide</i>
decisionReply_ providerFields_#_field_ #_value	<providerFields_#_field_ #_value> is a new child element of <decisionReply>.	<i>Decision Manager Using the Simple Order API Developer Guide</i>
dmeReply_ providerFields_ provider_#_name	<providerFields_provider_ #_name> is a new child element of <dmeReply>.	<i>Decision Manager Account Takeover Protection Service</i>
dmeReply_ providerFields_#_field_ #_name	<providerFields_#_field_ #_name> is a new child element of <dmeReply>.	<i>Decision Manager Account Takeover Protection Service</i>
dmeReply_ providerFields_#_field_ #_value	<providerFields_#_field_ #_value> is a new child element of <dmeReply>.	<i>Decision Manager Account Takeover Protection Service</i>

Release Notes for Version 1.145

Version 1.145

New Request Fields

Table 17 New Request Fields for Version 1.145

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
ap_pspBarcodeID	<pspBarcodeID> is a new child element of <ap>.	Documentation for this field will be published soon.
apRefundService_instant	<instant> is a new child element of <apRefundService>.	Documentation for this field will be published soon.
invoiceHeader_merchantDescriptorID	<merchantDescriptorID> is a new child element of <invoiceHeader>.	Documentation for this field will be published soon.

Renamed Request Fields

Table 18 Renamed Request Fields for Version 1.145

Name-Value Pair Field Name	Notes for XML
payerAuthEnrollService_authenticationTransactionId was renamed to payerAuthEnrollService_authenticationTransactionID	<payerAuthEnrollService_authenticationTransactionId> was renamed to <payerAuthEnrollService_authenticationTransactionID>.

Table 18 Renamed Request Fields for Version 1.145 (Continued)

Name-Value Pair Field Name	Notes for XML
<p>payerAuthValidateService – authenticationTransaction Id</p>	<p><payerAuthValidateService_ authenticationTransactionId> was renamed to <payerAuthValidateService_ authenticationTransactionID>.</p>
<p>was renamed to payerAuthValidateService – authenticationTransaction ID</p>	

New Reply Fields

Table 19 New Reply Fields for Version 1.145

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
apSaleReply_ discountAmount	<discountAmount> is a new child element of <apSaleReply>.	Documentation for this field will be published soon.
apSaleReply_ exchangeAmount	<exchangeAmount> is a new child element of <apSaleReply>.	Documentation for this field will be published soon.
apSaleReply_ foreignAmount	<foreignAmount> is a new child element of <apSaleReply>.	Documentation for this field will be published soon.
apSaleReply_ foreignCurrency	<foreignCurrency> is a new child element of <apSaleReply>.	Documentation for this field will be published soon.
payerAuthEnrollReply_ authentication TransactionID	<authentication TransactionID> is a new child element of <payerAuthEnrollReply>.	Documentation for this field will be published soon.

Newly Documented Reply Field

Table 20 Newly Documented Reply Field

Name-Value Pair Field Name	Where Field Is Documented	Notes
voidReply_ reversalSubmitted	Credit Card Services Using the Simple Order API	This field was originally documented in Version 1.143.

Release Notes for Versions 1.143 and 1.144

Version 1.143

New Request Fields

Table 21 New Request Fields for Version 1.143

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
apCancelService_reconciliationID	<reconciliationID> is a new child element of <apCancelService>.	Documentation for these fields will be published soon.
apCancelService_saleRequestID	<saleRequestID> is a new child element of <apCancelService>.	
apCreateMandateService_cancelURL	<apCreateMandateService> is a new child element of <requestMessage>.	Documentation for these fields will be published soon.
apCreateMandateService_failureURL	<apCreateMandateService>	
apCreateMandateService_run	<cancelURL>	
apCreateMandateService_saleRequestID	<failureURL>	
apCreateMandateService_successURL	<run>	
	<saleRequestID>	
	<successURL>	
	</apCreateMandateService>	
apImportMandateService_dateSigned	<apImportMandateService> is a new child element of <requestMessage>.	Documentation for these fields will be published soon.
apImportMandateService_run	<apImportMandateService>	
	<dateSigned>	
	<run>	
	</apImportMandateService>	

Table 21 New Request Fields for Version 1.143 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented		
apMandateStatusService_run	<p><apMandateStatusService> is a new child element of <requestMessage>.</p> <pre><apMandateStatusService> <run> </apMandateStatusService></pre>	Documentation for this field will be published soon.		
apRevokeMandateService_run	<p><apRevokeMandateService> is a new child element of <requestMessage>.</p> <pre><apRevokeMandateService> <run> </apRevokeMandateService></pre>	Documentation for this field will be published soon.		
apSaleService_dateCollect	<dateCollect> is a new child element of <apSaleService>.	Documentation for these fields will be published soon.		
apSaleService_mandateID	<mandateID> is a new child element of <apSaleService>.			
apUpdateMandateService_cancelURL	<p><apUpdateMandateService> is a new child element of <requestMessage>.</p> <pre><apUpdateMandateService> <cancelURL> <esign> <failureURL> <run> <successURL> </apUpdateMandateService></pre>	Documentation for these fields will be published soon.		
apUpdateMandateService_esign				
apUpdateMandateService_failureURL				
apUpdateMandateService_run				
apUpdateMandateService_successURL				
billPaymentType			<billPaymentType> is a new child element of <requestMessage>.	Credit Card Services Using the Simple Order API
billTo_binLookupService			<binLookupService> is a new child element of <billTo>.	BIN Lookup Service Using the Simple Order API
billTo_customerAccountCreateDate	<<binLookupService> is a new child element of <billTo>.> is a new child element of <billTo>.	Payer Authentication Using the Simple Order API		
billTo_customerAccountChangeDate	<customerAccountChangeDate> is a new child element of <billTo>.	Payer Authentication Using the Simple Order API		

Table 21 New Request Fields for Version 1.143 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
billTo_customerAccountPasswordChangeDate	<customerAccountPasswordChangeDate> is a new child element of <billTo>.	Payer Authentication Using the Simple Order API
billTo_networkOrder	<networkOrder> is a new child element of <billTo>.	BIN Lookup Service Using the Simple Order API
billTo_passportCountry	<passportCountry> is a new child element of <billTo>.	Payer Authentication Using the Simple Order API
billTo_passportNumber	<passportNumber> is a new child element of <billTo>.	Payer Authentication Using the Simple Order API
card_productName	<productName> is a new child element of <card>.	Documentation for this field will be published soon.
card_usage	<usage> is a new child element of <card>.	Credit Card Services Using the Simple Order API
deviceFingerprintData_data	<deviceFingerprintData> is a new child element of <requestMessage>.	Documentation for these fields will be published soon.
deviceFingerprintData_id	<deviceFingerprintData>	
deviceFingerprintData_provider	<data> <id> <provider>	
	</deviceFingerprintData>	
getMasterpassData Service_run	<getMasterpassData Service> is a new child element of <requestMessage>. <getMasterpassData Service> <run> </getMasterpassData Service>	Masterpass Using the Simple Order API
mandateID	<mandateID> is a new child element of <requestMessage>.	Documentation for this field will be published soon.
merchantCategoryCode Domestic	<merchantCategoryCode Domestic> is a new child element of <requestMessage>.	Credit Card Services Using the Simple Order API

Table 21 New Request Fields for Version 1.143 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
paymentScheme	<paymentScheme> is a new child element of <requestMessage>.	Documentation for this field will be published soon.
payerAuthEnrollService_accountPurchases	<accountPurchases> is a new child element of <payerAuthEnrollService>.	Payer Authentication Using the Simple Order API
payerAuthEnrollService_addCardAttempts	<addCardAttempts> is a new child element of <payerAuthEnrollService>.	Payer Authentication Using the Simple Order API
payerAuthEnrollService_alternateAuthenticationData	<alternateAuthenticationData> is a new child element of <payerAuthEnrollService>.	Documentation for these fields will be published soon.
payerAuthEnrollService_alternateAuthenticationDate	<alternateAuthenticationDate> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_alternateAuthenticationMethod	<alternateAuthenticationMethod> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_authenticationChannel	<authenticationChannel> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_authenticationTransactionID	<authenticationTransactionID> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_challengeCode	<challengeCode> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_challengeRequired	<challengeRequired> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_customerCCAlias	<customerCCAlias> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_defaultCard	<defaultCard> is a new child element of <payerAuthEnrollService>.	Payer Authentication Using the Simple Order API
payerAuthEnrollService_fraudActivity	<fraudActivity> is a new child element of <payerAuthEnrollService>.	Payer Authentication Using the Simple Order API

Table 21 New Request Fields for Version 1.143 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
payerAuthEnrollService_giftCardAmount	<giftCardAmount> is a new child element of <payerAuthEnrollService>.	Documentation for these fields will be published soon.
payerAuthEnrollService_giftCardCount	<giftCardCount> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_giftCardCurrency	<giftCardCurrency> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_httpUserAccept	<httpUserAccept> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_installmentTotalCount	<installmentTotalCount> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_marketingOptIn	<marketingOptIn> is a new child element of <payerAuthEnrollService>.	Payer Authentication Using the Simple Order API
payerAuthEnrollService_marketingSource	<marketingSource> is a new child element of <payerAuthEnrollService>.	Payer Authentication Using the Simple Order API
payerAuthEnrollService_merchantNewCustomer	<merchantNewCustomer> is a new child element of <payerAuthEnrollService>.	Documentation for these fields will be published soon.
payerAuthEnrollService_merchantTTPCredential	<merchantTTPCredential> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_messageCategory	<messageCategory> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_mobilePhoneDomestic	<mobilePhoneDomestic> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_npaCode	<npaCode> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_pareqChannel	<pareqChannel> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_paymentAccountDate	<paymentAccountDate> is a new child element of <payerAuthEnrollService>.	Payer Authentication Using the Simple Order API

Table 21 New Request Fields for Version 1.143 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
payerAuthEnrollService_preorder	<preorder> is a new child element of <payerAuthEnrollService>.	Documentation for these fields will be published soon.
payerAuthEnrollService_preorderDate	<preorderDate> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_recurringEndDate	<recurringEndDate> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_recurringFrequency	<recurringFrequency> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_recurringOriginalPurchaseDate	<recurringOriginalPurchaseDate> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_reorder	<reorder> is a new child element of <payerAuthEnrollService>.	
payerAuthEnrollService_shipAddressUsageDate	<shipAddressUsageDate> is a new child element of <payerAuthEnrollService>.	Payer Authentication Using the Simple Order API
payerAuthEnrollService_shoppingChannel	<shoppingChannel> is a new child element of <payerAuthEnrollService>.	Documentation for this field will be published soon.
payerAuthEnrollService_transactionCountDay	<transactionCountDay> is a new child element of <payerAuthEnrollService>.	Payer Authentication Using the Simple Order API
payerAuthEnrollService_transactionCountYear	<transactionCountYear> is a new child element of <payerAuthEnrollService>.	Payer Authentication Using the Simple Order API
payerAuthEnrollService_transactionMode	<transactionMode> is a new child element of <payerAuthEnrollService>.	Documentation for this field will be published soon.
pinDataPinBlockEncodingFormat	<pinDataPinBlockEncodingFormat> is a new child element of <requestMessage>.	Documentation for this field will be published soon.

Table 21 New Request Fields for Version 1.143 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented	
postdatedTransaction_ guaranteeAmount	<postdatedTransaction> is a new child element of <requestMessage>.	Documentation for these fields will be published soon.	
postdatedTransaction_ guaranteeIndicator	<postdatedTransaction>		
postdatedTransaction_ settlementDate	<guaranteeAmount> <guaranteeIndicator> <settlementDate> </postdatedTransaction>		
recipient_address	<address> is a new child element of <recipient>.		Payouts Using the Simple Order API
recipient_city	<city> is a new child element of <recipient>.		
recipient_country	<country> is a new child element of <recipient>.		
recipient_firstName	<firstName> is a new child element of <recipient>.		
recipient_middleInitial	<middleInitial> is a new child element of <recipient>.		
recipient_ phoneNumber	<phoneNumber> is a new child element of <recipient>.		
recipient_state	<state> is a new child element of <recipient>.		
sender_firstName	<firstName> is a new child element of <sender>.	Payouts Using the Simple Order API	
sender_middleInitial	<middleInitial> is a new child element of <sender>.		
sender_lastName	<lastName> is a new child element of <sender>.		
sender_phoneNumber	<phoneNumber> is a new child element of <sender>.		
shipTo_ destinationCode	<destinationCode> is a new child element of <shipTo>.		Documentation for this field will be published soon.
subsequentAuth OriginalAmount	<subsequentAuthOriginal Amount> is a new child element of <requestMessage>.	Documentation for this field will be published soon.	
subsequentAuthStored Credential	<subsequentAuthStored Credential> is a new child element of <requestMessage>.	Credit Card Services Using the Simple Order API	

Table 21 New Request Fields for Version 1.143 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
wallet_ merchantReferenceID	<merchantReferenceID> is a new child element of <wallet>.	Masterpass Using the Simple Order API
wallet_orderID	<orderID> is a new child element of <wallet>.	

New Reply Fields

Table 22 New Reply Fields for Version 1.143

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
apCancelReply_ reconciliationID	<reconciliationID> is a new child element of <apCancelReply>.	Documentation for these fields will be published soon.
apCancelReply_ responseCode	<responseCode> is a new child element of <apCancelReply>.	
apCreateMandateReply_ _dateCreated	<apCreateMandateReply> is a new child element of <replyMessage>.	Documentation for these fields will be published soon.
apCreateMandateReply_ _dateSigned	<apCreateMandateReply>	
apCreateMandateReply_ _dateTime	<dateCreated>	
apCreateMandateReply_ _encodedHTML	<dateSigned>	
apCreateMandateReply_ _encodedPopupHTML	<dateTime>	
apCreateMandateReply_ _mandateID	<encodedHTML>	
apCreateMandateReply_ _merchantURL	<encodedPopupHTML>	
apCreateMandateReply_ _processorTransaction ID	<mandateID>	
apCreateMandateReply_ _reasonCode	<merchantURL>	
apCreateMandateReply_ _responseCode	<processorTransaction ID>	
apCreateMandateReply_ _riskScore	<reasonCode>	
apCreateMandateReply_ _status	<responseCode>	
	<riskScore>	
	<status>	
	</apCreateMandateReply>	

Table 22 New Reply Fields for Version 1.143 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented	
apImportMandateReply _dateCreated	<code><apImportMandateReply></code> is a new child element of <code><replyMessage></code> .	Documentation for these fields will be published soon.	
apImportMandateReply _dateSigned	<code><apImportMandateReply></code>		
apImportMandateReply _dateTime	<code><dateCreated></code>		
apImportMandateReply _mandateID	<code><dateSigned></code>		
apImportMandateReply _processorTransaction ID	<code><dateTime></code>		
apImportMandateReply _reasonCode	<code><mandateID></code>		
apImportMandateReply _responseCode	<code><processorTransaction ID></code>		
apImportMandateReply _status	<code><reasonCode></code>		
apMandateStatusReply _dateCreated	<code><responseCode></code>		
apMandateStatusReply _dateRevoked	<code><status></code>		
apMandateStatusReply _dateSigned	<code></apImportMandateReply></code>		
apMandateStatusReply _mandateID	<code><apMandateStatusReply></code> is a new child element of <code><replyMessage></code> .		Documentation for these fields will be published soon.
apMandateStatusReply _processorTransaction ID	<code><apMandateStatusReply></code>		
apMandateStatusReply _reasonCode	<code><dateCreated></code>		
apMandateStatusReply _responseCode	<code><dateRevoked></code>		
apMandateStatusReply _status	<code><dateSigned></code>		
apMandateStatusReply _dateCreated	<code><mandateID></code>		
apMandateStatusReply _dateRevoked	<code><processorTransaction ID></code>		
apMandateStatusReply _dateSigned	<code><reasonCode></code>		
apMandateStatusReply _mandateID	<code><responseCode></code>		
apMandateStatusReply _processorTransaction ID	<code><status></code>		
apMandateStatusReply _reasonCode	<code></apMandateStatusReply></code>		
apMandateStatusReply _responseCode			
apMandateStatusReply _status			

Table 22 New Reply Fields for Version 1.143 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
apRevokeMandate Reply_dateCreated	<apRevokeMandateReply> is a new child element of <replyMessage>.	Documentation for these fields will be published soon.
apRevokeMandate Reply_dateRevoked	<apRevokeMandateReply>	
apRevokeMandate Reply_dateSigned	<dateCreated>	
	<dateRevoked>	
apRevokeMandate Reply_dateTime	<dateSigned>	
	<dateTime>	
apRevokeMandate Reply_mandateID	<mandateID>	
apRevokeMandate Reply_ processorTransactionI D	<processorTransaction ID> <reasonCode>	
apRevokeMandate Reply_reasonCode	<responseCode> <status>	
apRevokeMandate Reply_responseCode	</apRevokeMandateReply>	
apRevokeMandate Reply_status		

Table 22 New Reply Fields for Version 1.143 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented	
apUpdateMandateReply _dateCreated	<apUpdateMandateReply> is a new child element of	Documentation for these fields will be published soon.	
apUpdateMandateReply _dateSigned	<replyMessage>.		
apUpdateMandateReply _dateTime	<apUpdateMandateReply>		
apUpdateMandateReply _encodedHTML	<dateCreated>		
apUpdateMandateReply _encodedPopupHTML	<dateSigned>		
apUpdateMandateReply _mandateID	<dateTime>		
apUpdateMandateReply _merchantURL	<encodedHTML>		
apUpdateMandateReply _processorTransaction ID	<encodedPopupHTML>		
apUpdateMandateReply _reasonCode	<mandateID>		
apUpdateMandateReply _riskScore	<merchantURL>		
apUpdateMandateReply _status	<processorTransaction ID>		
billTo_defaultIndicator	<reasonCode>		Visa Checkout Using the Simple Order API
billTo_pointOfReference	<responseCode>		
billTo_street5	<riskScore>		
getMasterpassData Reply_reasonCode	<status>	Masterpass Using the Simple Order API	
	</apUpdateMandateReply>		
	<apUpdateMandateReply _riskScore		
	<apUpdateMandateReply _status		
	<defaultIndicator> is a new child element of <billTo>.		
	<pointOfReference> is a new child element of <billTo>.		
	<street5> is a new child element of <billTo>.		
	<getMasterpassDataReply> is a new child element of <replyMessage>.	Documentation for this field will be published soon.	
	<getMasterpassDataReply>		
	<reasonCode>		
	</getMasterpassDataReply>		

Table 22 New Reply Fields for Version 1.143 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
network_ aftCrossBorder Indicator	<network> is a new child element of <replyMessage>. <network>	BIN Lookup Service Using the Simple Order API
network_ aftDomesticIndicator	<aftCrossBorder Indicator>	
network_id	<aftDomesticIndicator>	
network_networkID	<id>	
network_networkOrder	<networkID>	
network_ octCrossBorder Indicator	<networkOrder>	
network_ octDomesticIndicator	<octCrossBorder Indicator> <octDomesticIndicator> </network>	
paymentNetwork MerchantID	<paymentNetworkMerchant ID> is a new child element of <replyMessage>.	Masterpass Using the Simple Order API
payerAuthEnrollReply_ specificationVersion	<specificationVersion> is a new child element of <payerAuthEnrollReply>.	Documentation for this field will be published soon.
payerAuthValidateReply_ specificationVersion	<specificationVersion> is a new child element of <payerAuthValidateReply>.	Documentation for this field will be published soon.
routing_networkLabel	<routing> is a new child element of <replyMessage>.	Documentation for these fields will be published soon.
routing_networkType	<routing>	
routing_ signatureCVMRequired	<networkLabel> <networkType> <signatureCVMRequired> </routing>	
shipTo_default	<default> is a new child element of <shipTo>.	Visa Checkout Using the Simple Order API
shipTo_ pointOfReference	<pointOfReference> is a new child element of <shipTo>.	
shipTo_street5	<street5> is a new child element of <shipTo>.	Masterpass Using the Simple Order API
transactionLocalDate Time	<transactionLocalDate Time> is a new child element of <replyMessage>.	Card-Present Processing Using the Simple Order API

Table 22 New Reply Fields for Version 1.143 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
vcReply_ageOfAccount	<ageOfAccount> is a new child element of <vcReply>.	Visa Checkout Using the Simple Order API
vcReply_billingAddressAdditionalLocation	<billingAddressAdditionalLocation> is a new child element of <vcReply>.	
vcReply_billingAddressStreetName	<billingAddressStreetName> is a new child element of <vcReply>.	
vcReply_billingAddressStreetNumber	<billingAddressStreetNumber> is a new child element of <vcReply>.	
vcReply_cardFirstName	<cardFirstName> is a new child element of <vcReply>.	
vcReply_cardLastName	<cardLastName> is a new child element of <vcReply>.	
vcReply_expiredCard	<expiredCard> is a new child element of <vcReply>.	
vcReply_newUser	<newUser> is a new child element of <vcReply>.	
vcReply_paymentDescription	<paymentDescription> is a new child element of <vcReply>.	
vcReply_shippingAddressAdditionalLocation	<shippingAddressAdditionalLocation> is a new child element of <vcReply>.	
vcReply_shippingAddressStreetName	<shippingAddressStreetName> is a new child element of <vcReply>.	
vcReply_shippingAddressStreetNumber	<shippingAddressStreetNumber> is a new child element of <vcReply>.	
vcReply_vcAccountFullName	<vcAccountFullName> is a new child element of <vcReply>.	
voidReply_reversalSubmitted	<reversalSubmitted> is a new child element of <voidReply>.	Documentation for this field will be published soon.

Table 22 New Reply Fields for Version 1.143 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
wallet_authenticationMethod	<authenticationMethod> is a new child element of <wallet>.	Masterpass Using the Simple Order API
wallet_avv	<avv> is a new child element of <wallet>.	
wallet_cardEnrollmentMethod	<cardEnrollmentMethod> is a new child element of <wallet>.	
wallet_eciRaw	<eciRaw> is a new child element of <wallet>.	
wallet_paresStatus	<paresStatus> is a new child element of <wallet>.	
wallet_userPhone	<userPhone> is a new child element of <wallet>.	
wallet_veresEnrolled	<veresEnrolled> is a new child element of <wallet>.	
wallet_xid	<xid> is a new child element of <wallet>.	

Newly Documented Request Fields

Table 23 Newly Documented Request Fields

Name-Value Pair Field Name	Where Field Is Documented	Notes
binLookupService_mode	BIN Lookup Service Using the Simple Order API	This field was originally documented in Version 1.136.
personalID_number	Credit Card Services Using the Simple Order API	This field was originally documented in Version 1.123.
sender_dateOfBirth	Payouts Using the Simple Order API	This field was originally documented in Version 1.140.

Newly Documented Reply Fields

Table 24 Newly Documented Reply Fields

Name-Value Pair Field Name	Where Field Is Documented	Notes
card_billingCurrency	<i>BIN Lookup Service Using the Simple Order API</i>	These fields were originally documented in Version 1.136.
card_billingCurrencyNumericCode		
card_billingCurrencyMinorDigits		
card_cardSubType		
card_cardTypeName		
card_crossBorderIndicator		
card_level2Eligible		
card_level3Eligible		
card_octBlockIndicator		
card_octFastFundsIndicator		
card_onlineGamblingBlockIndicator		
card_productCategory		
issuer_country		
issuer_countryNumericCode		
issuer_name		
issuer_phoneNumber		

Version 1.144

There are no field changes in this version.

Release Notes for Version 1.142

Version 1.142

There are no field changes in this version.

Newly Documented Request Field

Table 25 Newly Documented Request Field

Name-Value Pair Field Name	Where Field Is Documented	Notes
<code>payerAuthEnrollService _referenceID</code>	<i>Payer Authentication Using the Simple Order API</i>	This field was originally documented in Version 1.140.

Newly Documented Reply Field

Table 26 Newly Documented Reply Field

Name-Value Pair Field Name	Where Field Is Documented	Notes
payerAuthEnrollReply_ authenticationResult	<i>Payer Authentication Using the Simple Order API</i>	This field was originally documented in Version 1.140.
payerAuthEnrollReply_ authenticationStatusMessage	<i>Payer Authentication Using the Simple Order API</i>	This field was originally documented in Version 1.140.
payerAuthEnrollReply_ cavv	<i>Payer Authentication Using the Simple Order API</i>	This field was originally documented in Version 1.140.
payerAuthEnrollReply_ cavvAlgorithm	<i>Payer Authentication Using the Simple Order API</i>	This field was originally documented in Version 1.140.
payerAuthEnrollReply_ eciRaw	<i>Payer Authentication Using the Simple Order API</i>	This field was originally documented in Version 1.140.
payerAuthEnrollReply_ ucafAuthenticationData	<i>Payer Authentication Using the Simple Order API</i>	This field was originally documented in Version 1.140.
payerAuthEnrollReply_ paresStatus	<i>Payer Authentication Using the Simple Order API</i>	This field was originally documented in Version 1.140.

Release Notes for Version 1.141

Version 1.141

New Request Fields

Table 27 New Request Fields for Version 1.141

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
ccAuthService_ cardholder AuthenticationMethod	<code><cardholderAuthentication Method></code> is a new child element of <code><ccAuthService></code> .	Documentation for this field will be published soon.
cardTypeSelection Indicator	<code><cardTypeSelection Indicator></code> is a new child element of <code><requestMessage></code> .	Documentation for this field will be published soon.

New Reply Fields

Table 28 New Reply Fields for Version 1.141

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
issuerMessageAction	<issuerMessageAction> is a new child element of <replyMessage>.	Documentation for this field will be published soon.

Renamed Reply Fields

Table 29 Renamed Reply Field for Version 1.141

Name-Value Pair Field Name	Notes for XML
paySubscriptionCreate Reply_ instrumentIdentifierID New	<paySubscriptionCreateReply_ instrumentIdentifierIDNew> was renamed to <paySubscriptionCreateReply_ instrumentIdentifierSuccessorID>.
was renamed to paySubscriptionCreate Reply_ instrumentIdentifier SuccessorID	
paySubscriptionUpdate Reply_ instrumentIdentifierID New	<paySubscriptionUpdateReply_ instrumentIdentifierIDNew> was renamed to <paySubscriptionUpdateReply_ instrumentIdentifierSuccessorID>.
was renamed to paySubscriptionUpdate Reply_ instrumentIdentifier SuccessorID	
paySubscriptionRetrieve Reply_ instrumentIdentifierID New	<paySubscriptionRetrieveReply_ instrumentIdentifierIDNew> was renamed to <paySubscriptionRetrieveReply_ instrumentIdentifierSuccessorID>.
was renamed to paySubscriptionRetrieve Reply_ instrumentIdentifier SuccessorID	

Newly Documented Request Field

Table 30 Newly Documented Request Field

Name-Value Pair Field Name	Where Field Is Documented	Notes
recipient_ billingConversionRate	<i>Payouts Using the Simple Order API</i>	This field was originally documented in Version 1.130.

Newly Documented Reply Field

Table 31 Newly Documented Reply Field

Name-Value Pair Field Name	Where Field Is Documented	Notes
feeProgramIndicator	<i>Payouts Using the Simple Order API</i>	This field was originally documented in Version 1.130.

Release Notes for Version 1.140

Version 1.140

New Request Fields

Table 32 New Request Fields for Version 1.140

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
feeProgramIndicator	<feeProgramIndicator> is a new child element of <requestMessage>.	Documentation for this field will be published soon.
invoiceHeader_merchantDescriptor County	<merchantDescriptor County> is a new child element of <invoiceHeader>.	Documentation for this field will be published soon.
octService_overridePayment Method	<overridePaymentMethod> is a new child element of <octService>.	Documentation for this field will be published soon.
payerAuthEnrollService_referenceID	<referenceID> is a new child element of <payerAuthEnrollService>.	Documentation for this field will be published soon.
pin_entryCapability	<pin_entryCapability> is a new child element of <requestMessage>.	Documentation for this field will be published soon.
pos_panEntryMode	<panEntryMode> is a new child element of <pos>.	Documentation for this field will be published soon.
sender_dateOfBirth	<dateOfBirth> is a new child element of <sender>.	Documentation for this field will be published soon.

New Reply Fields

Table 33 New Reply Fields for Version 1.140

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
acquirerMerchant Number	<acquirerMerchantNumber> is a new child element of <replyMessage>.	Documentation for this field will be published soon.
airlineData_passenger_ firstName	<passenger_firstName> is a new child element of <airlineData>.	Documentation for this field will be published soon.
airlineData_passenger_ id	<passenger_id> is a new child element of <airlineData>.	Documentation for this field will be published soon.
airlineData_passenger_ lastName	<passenger_lastName> is a new child element of <airlineData>.	Documentation for this field will be published soon.
invoiceHeader	<invoiceHeader> is a new child element of <replyMessage>.	Documentation for this field will be published soon.
octReply_ prepaidBalanceAmount	<prepaidBalanceAmount> is a new child element of <octReply>.	Documentation for this field will be published soon.
octReply_ prepaidBalanceCurrenc y	<prepaidBalanceCurrecny> is a new child element of <octReply>.	Documentation for this field will be published soon.
octReply_ processorResponse Source	<processorResponseSource> is a new child element of <octReply>.	Documentation for this field will be published soon.
octReply_ reconciliationType	<reconciliationType> is a new child element of <octReply>.	Documentation for this field will be published soon.
payerAuthEnrollReply_ authenticationResult	<payerAuthEnrollReply> is a new child element of <authenticationResult>.	Documentation for this field will be published soon.
payerAuthEnrollReply_ authenticationStatus Message	<payerAuthEnrollReply> is a new child element of <authenticationStatusMessage>.	Documentation for this field will be published soon.
payerAuthEnrollReply_ cavv	<payerAuthEnrollReply> is a new child element of <cavv>.	Documentation for this field will be published soon.
payerAuthEnrollReply_ cavvAlgorithm	<payerAuthEnrollReply> is a new child element of <cavvAlgorithm>.	Documentation for this field will be published soon.

Table 33 New Reply Fields for Version 1.140 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
payerAuthEnrollReply_eciRaw	<payerAuthEnrollReply> is a new child element of <eciRaw>.	Documentation for this field will be published soon.
payerAuthEnrollReply_paresStatus	<payerAuthEnrollReply> is a new child element of <paresStatus>.	Documentation for this field will be published soon.
payerAuthEnrollReply_ucafAuthentication	<payerAuthEnrollReply> is a new child element of <ucafAuthentication>.	Documentation for this field will be published soon.
personalID	<personalID> is a new child element of <replyMessage>.	Documentation for this field will be published soon.

Removed Reply Field

Table 34 Removed Reply Field for Version 1.140

Name-Value Pair Field Name	Notes for XML
ccAuthReply_ acquirerMerchant Number	<acquirerMerchantNumber> was removed from the <ccAuthReply> element.

Renamed Reply Field

Table 35 Renamed Reply Field for Version 1.140

Name-Value Pair Field Name	Notes for XML
taxReplyItemJurisdiction _id	<taxReplyItemJurisdiction_id> was renamed to <taxReplyItemJurisdiction_jurisId>.
taxReplyItemJurisdiction _jurisId	was renamed to

Newly Documented Reply Field

Table 36 Newly Documented Reply Field

Name-Value Pair Field Name	Where Field Is Documented	Notes
pos_deviceID	<i>Card-Present Processing Using the Simple Order API</i>	This field was originally documented in Version 1.88.

Release Notes for Version 1.139

Version 1.139

New Request Fields

Table 37 New Request Fields for Version 1.139

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
exportService_sanctionsLists	<sanctionsLists> is a new child element of <exportService>.	Documentation for this field will be published soon.
issuer_responseCode	<responseCode> is a new child element of <issuer>.	Card-Present Processing Using the Simple Order API
partnerOriginalTransactionID	<partnerOriginalTransactionID> is a new child element of <requestMessage>.	Card-Present Processing Using the Simple Order API
partnerSDKVersion	<partnerSDKVersion> is a new child element of <requestMessage>.	Card-Present Processing Using the Simple Order API
pos_storeAndForwardIndicator	<storeAndForwardIndicator> is a new child element of <pos>.	Card-Present Processing Using the Simple Order API
pos_terminalCVMcapabilities_s_#	<terminalCVMcapabilities_s_#> is a new child element of <pos>.	Card-Present Processing Using the Simple Order API
pos_terminalInputCapabilities_s_#	<terminalInputCapabilities_s_#> is a new child element of <pos>.	Card-Present Processing Using the Simple Order API
pos_terminalSerialNumber	<terminalSerialNumber> is a new child element of <pos>.	Card-Present Processing Using the Simple Order API

New Reply Fields

Table 38 New Reply Fields for Version 1.139

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
acquirerMerchant Number	<acquirerMerchantNumber> is a new child element of <replyMessage>.	Card-Present Processing Using the Simple Order API

Removed Reply Fields

Table 39 Removed Reply Fields for Version 1.139

Name-Value Pair Field Name	Notes for XML
apRefundReply_ amountFromMerchant	<amountFromMerchant> was removed from the <apRefundReply> element.
apRefundReply_ amountFromOriginalRe ceipt	<amountFromOriginalReceipt> was removed from the <apRefundReply> element.
apRefundReply_ amountToPayer	<amountToPayer> was removed from the <apRefundReply> element.
apRefundReply_ cumulativeAmount	<cumulativeAmount> was removed from the <apRefundReply> element.
apRefundReply_ externalFundingAmount	<externalFundingAmount> was removed from the <apRefundReply> element.
apRefundReply_ processorTransactionF eeRefunded	<processorTransactionFeeRefunded> was removed from the <apRefundReply> element.
apRefundReply_ totalRefundAmount	<totalRefundAmount> was removed from the <apRefundReply> element.