

# CyberSource Simple Order API Release Notes

For Versions 1.140

July 2017

**CyberSource**<sup>®</sup>  
the power of payment

## CyberSource Contact Information

For general information about our company, products, and services, go to <http://www.cybersource.com>.

For sales questions about any CyberSource Service, email [sales@cybersource.com](mailto:sales@cybersource.com) or call 650-432-7350 or 888-330-2300 (toll free in the United States).

For support information about any CyberSource Service, visit the Support Center at <http://www.cybersource.com/support>.

## Copyright

© 2017 CyberSource Corporation. All rights reserved. CyberSource Corporation ("CyberSource") furnishes this document and the software described in this document under the applicable agreement between the reader of this document ("You") and CyberSource ("Agreement"). You may use this document and/or software only in accordance with the terms of the Agreement. Except as expressly set forth in the Agreement, the information contained in this document is subject to change without notice and therefore should not be interpreted in any way as a guarantee or warranty by CyberSource. CyberSource assumes no responsibility or liability for any errors that may appear in this document. The copyrighted software that accompanies this document is licensed to You for use only in strict accordance with the Agreement. You should read the Agreement carefully before using the software. Except as permitted by the Agreement, You may not reproduce any part of this document, store this document in a retrieval system, or transmit this document, in any form or by any means, electronic, mechanical, recording, or otherwise, without the prior written consent of CyberSource.

## Restricted Rights Legends

**For Government or defense agencies.** Use, duplication, or disclosure by the Government or defense agencies is subject to restrictions as set forth the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013 and in similar clauses in the FAR and NASA FAR Supplement.

**For civilian agencies.** Use, reproduction, or disclosure is subject to restrictions set forth in subparagraphs (a) through (d) of the Commercial Computer Software Restricted Rights clause at 52.227-19 and the limitations set forth in CyberSource Corporation's standard commercial agreement for this software. Unpublished rights reserved under the copyright laws of the United States.

## Trademarks

CyberSource, The Power of Payment, CyberSource Payment Manager, CyberSource Risk Manager, CyberSource Decision Manager, CyberSource Connect, Authorize.Net, and eCheck.net are trademarks and/or service marks of CyberSource Corporation. All other brands and product names are trademarks or registered trademarks of their respective owners.

# Contents

## **About This Guide** 6

For XML Users 6

For SOAP Users 6

---

## **Chapter 1 Release Notes for Versions 1.140** 7

Version 1.140 7

New Request Fields 7

New Reply Fields 8

Removed Reply Field 9

Renamed Reply Field 9

---

## **Chapter 2 Release Notes for Versions 1.139** 10

Version 1.139 10

New Request Fields 10

New Reply Fields 11

Removed Reply Fields 11

---

## **Chapter 3 Release Notes for Versions 1.137 and 1.138** 12

Version 1.137 12

New Request Fields 12

New Reply Fields 16

Version 1.138 20

New Reply Fields 20

---

## **Chapter 4 Release Notes for Version 1.136** 21

Version 1.136 21

New Request Field 21

New Reply Fields 22

Removed Reply Fields 24

---

**Chapter 5** **Release Notes for Version 1.135** **25**

Version 1.135 **25**  
New Reply Fields **25**

---

**Chapter 6** **Release Notes for Version 1.134** **27**

Version 1.134 **27**  
New Reply Fields **27**  
Newly Documented Request Fields **28**  
Newly Documented Reply Fields **28**

---

**Chapter 7** **Release Notes for Version 1.133** **29**

Version 1.133 **29**  
New Reply Fields **29**  
Renamed Reply Field **31**

---

**Chapter 8** **Release Notes for Version 1.132** **32**

Version 1.132 **32**  
New Request Fields **32**  
New Reply Fields **34**

---

**Chapter 9** **Release Notes for Version 1.131** **36**

Version 1.131 **36**  
New Request Fields **36**  
Renamed Request Field **37**  
New Reply Fields **38**

---

**Chapter 10** **Release Notes for Version 1.130** **39**

Version 1.130 **39**  
New Request Fields **39**  
New Reply Fields **40**

---

**Chapter 11** **Release Notes for Version 1.129** **41**

Version 1.129 **41**  
New Request Fields **41**  
New Reply Fields **42**

---

<b>Chapter 12</b>	<b>Release Notes for Version 1.128</b>	<b>43</b>
	Version 1.128	43

# About This Guide

In these release notes, each chapter lists fields that have been changed or added to the Simple Order API since the previous version. This guide contains information for the most recent 12 releases. See the implementation guides at the [Support Center](#) for details about using the API to request ICS services.

These release notes use the name-value pair field names to show the changes made to the API.

## For XML Users

---

In the release notes, when changes to the name-value pair fields are presented, notes describing the corresponding changes in the XML element names are also included. The examples show an element's child elements in no particular order. See the XML schema for the required order of elements in your XML messages.



**Note**

See the current version of the XML schema at:  
<https://ics2ws.ic3.com/commerce/1.x/transactionProcessor>.

## For SOAP Users

---

With the changes to existing elements and the addition of new XML elements to the schema, you will see parallel changes in the existing proxy classes or the addition of new proxy classes in the SOAP implementations.

# Release Notes for Versions 1.140

## Version 1.140

### New Request Fields

Table 1 New Request Fields for Version 1.140

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>feeProgramIndicator</b>	<feeProgramIndicator> is a new child element of <requestMessage>.	Documentation for this field will be published soon.
<b>invoiceHeader_ merchantDescriptor County</b>	<merchantDescriptor County> is a new child element of <invoiceHeader>.	Documentation for this field will be published soon.
<b>octService_ overridePayment Method</b>	<overridePaymentMethod> is a new child element of <octService>.	Documentation for this field will be published soon.
<b>payerAuthEnrollService_ referenceID</b>	<referenceID> is a new child element of <payerAuthEnrollService>.	Documentation for this field will be published soon.
<b>pin_entryCapability</b>	<pin_entryCapability> is a new child element of <requestMessage>.	Documentation for this field will be published soon.
<b>pos_panEntryMode</b>	<panEntryMode> is a new child element of <pos>.	Documentation for this field will be published soon.
<b>sender_dateOfBirth</b>	<dateOfBirth> is a new child element of <sender>.	Documentation for this field will be published soon.

## New Reply Fields

Table 2 New Reply Fields for Version 1.140

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>acquirerMerchant Number</b>	<acquirerMerchantNumber> is a new child element of <replyMessage>.	Documentation for this field will be published soon.
<b>airlineData_passenger_firstName</b>	<passenger_firstName> is a new child element of <airlineData>.	Documentation for this field will be published soon.
<b>airlineData_passenger_id</b>	<passenger_id> is a new child element of <airlineData>.	Documentation for this field will be published soon.
<b>airlineData_passenger_lastName</b>	<passenger_lastName> is a new child element of <airlineData>.	Documentation for this field will be published soon.
<b>invoiceHeader</b>	<invoiceHeader> is a new child element of <replyMessage>.	Documentation for this field will be published soon.
<b>octReply_prepaidBalanceAmount</b>	<prepaidBalanceAmount> is a new child element of <octReply>.	Documentation for this field will be published soon.
<b>octReply_prepaidBalanceCurrency</b>	<prepaidBalanceCurrency> is a new child element of <octReply>.	Documentation for this field will be published soon.
<b>octReply_processorResponse Source</b>	<processorResponseSource> is a new child element of <octReply>.	Documentation for this field will be published soon.
<b>octReply_reconciliationType</b>	<reconciliationType> is a new child element of <octReply>.	Documentation for this field will be published soon.
<b>payerAuthEnrollReply_authenticationResult</b>	<payerAuthEnrollReply> is a new child element of <authenticationResult>.	Documentation for this field will be published soon.
<b>payerAuthEnrollReply_authenticationStatus Message</b>	<payerAuthEnrollReply> is a new child element of <authenticationStatusMessage>.	Documentation for this field will be published soon.
<b>payerAuthEnrollReply_cavv</b>	<payerAuthEnrollReply> is a new child element of <cavv>.	Documentation for this field will be published soon.
<b>payerAuthEnrollReply_cavvAlgorithm</b>	<payerAuthEnrollReply> is a new child element of <cavvAlgorithm>.	Documentation for this field will be published soon.



Table 2 New Reply Fields for Version 1.140 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>payerAuthEnrollReply_eciRaw</b>	<payerAuthEnrollReply> is a new child element of <eciRaw>.	Documentation for this field will be published soon.
<b>payerAuthEnrollReply_paresStatus</b>	<payerAuthEnrollReply> is a new child element of <paresStatus>.	Documentation for this field will be published soon.
<b>payerAuthEnrollReply_ucafAuthentication</b>	<payerAuthEnrollReply> is a new child element of <ucafAuthentication>.	Documentation for this field will be published soon.
<b>personalID</b>	<personalID> is a new child element of <replyMessage>.	Documentation for this field will be published soon.

## Removed Reply Field

Table 3 Removed Reply Field for Version 1.140

Name-Value Pair Field Name	Notes for XML
<b>ccAuthReply_acquirerMerchantNumber</b>	<acquirerMerchantNumber> was removed from the <ccAuthReply> element.

## Renamed Reply Field

Table 4 Renamed Reply Field for Version 1.140

Name-Value Pair Field Name	Notes for XML
<b>taxReplyItemJurisdiction_id</b>	<taxReplyItemJurisdiction_id> was renamed to <taxReplyItemJurisdiction_jurisId>.
<b>taxReplyItemJurisdiction_jurisId</b>	was renamed to

# Release Notes for Versions 1.139

## Version 1.139

### New Request Fields

Table 5 New Request Fields for Version 1.139

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>exportService_ sanctionsLists</b>	<sanctionsLists> is a new child element of <exportService>.	Documentation for this field will be published soon.
<b>issuer_responseCode</b>	<responseCode> is a new child element of <issuer>.	<a href="#">Card-Present Processing Using the Simple Order API</a>
<b>partnerOriginalTransact ionID</b>	<partnerOriginalTransacti onID> is a new child element of <requestMessage>.	<a href="#">Card-Present Processing Using the Simple Order API</a>
<b>partnerSDKVersion</b>	<partnerSDKVersion> is a new child element of <requestMessage>.	<a href="#">Card-Present Processing Using the Simple Order API</a>
<b>pos_ storeAndForwardIndica tor</b>	<storeAndForwardIndicator> is a new child element of <pos>.	<a href="#">Card-Present Processing Using the Simple Order API</a>
<b>pos_ terminalCVMcapabilities_ s_#</b>	<terminalCVMcapabilities_ #> is a new child element of <pos>.	<a href="#">Card-Present Processing Using the Simple Order API</a>
<b>pos_ terminalInputCapabilitie s_#</b>	<terminalInputCapabilitie s_#> is a new child element of <pos>.	<a href="#">Card-Present Processing Using the Simple Order API</a>
<b>pos_ terminalSerialNumber</b>	<terminalSerialNumber> is a new child element of <pos>.	<a href="#">Card-Present Processing Using the Simple Order API</a>

## New Reply Fields

Table 6 New Reply Fields for Version 1.139

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
acquirerMerchant Number	<acquirerMerchantNumber> is a new child element of <replyMessage>.	<a href="#">Card-Present Processing Using the Simple Order API</a>

## Removed Reply Fields

Table 7 Removed Reply Fields for Version 1.139

Name-Value Pair Field Name	Notes for XML
apRefundReply_ amountFromMerchant	<amountFromMerchant> was removed from the <apRefundReply> element.
apRefundReply_ amountFromOriginalRe ceipt	<amountFromOriginalReceipt> was removed from the <apRefundReply> element.
apRefundReply_ amountToPayer	<amountToPayer> was removed from the <apRefundReply> element.
apRefundReply_ cumulativeAmount	<cumulativeAmount> was removed from the <apRefundReply> element.
apRefundReply_ externalFundingAmount	<externalFundingAmount> was removed from the <apRefundReply> element.
apRefundReply_ processorTransactionF eeRefunded	<processorTransactionFeeRefunded> was removed from the <apRefundReply> element.
apRefundReply_ totalRefundAmount	<totalRefundAmount> was removed from the <apRefundReply> element.

# Release Notes for Versions 1.137 and 1.138

## Version 1.137

### New Request Fields

Table 8 New Request Fields for Version 1.137

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>ap_insuranceAmount</b>	<insuranceAmount> is a new child element of <ap>.	Documentation for this field will be published soon.
<b>ap_billingAgreement Indicator</b>	<billingAgreement Indicator> is a new child element of <ap>.	Documentation for this field will be published soon.
<b>ap_billingAgreementID</b>	<billingAgreementID> is a new child element of <ap>.	Documentation for this field will be published soon.
<b>ap_billingAgreement Description</b>	<billingAgreement Description> is a new child element of <ap>.	Documentation for this field will be published soon.
<b>ap_payerID</b>	<payerID> is a new child element of <ap>.	Documentation for this field will be published soon.
<b>ap_fundingSource</b>	<fundingSource> is a new child element of <ap>.	Documentation for this field will be published soon.
<b>ap_shippingAddress Immutable</b>	<shippingAddress Immutable> is a new child element of <ap>.	Documentation for this field will be published soon.
<b>apAuthService_orderRequestID</b>	<orderRequestID> is a new child element of <apAuthService>.	Documentation for this field will be published soon.

Table 8 New Request Fields for Version 1.137 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apBillingAgreement Service_ sessionsRequestID</b>	<code>&lt;apBillingAgreement Service&gt;</code> is a new child element of <code>&lt;requestMessage&gt;</code> .	Documentation for these fields will be published soon.
<b>apBillingAgreement Service_run</b>	<code>&lt;apBillingAgreement Service&gt;</code>  <code>&lt;sessionsRequestID&gt;</code>  <code>&lt;run&gt;</code>  <code>&lt;/apBillingAgreement Service&gt;</code>	
<b>apCancelService_ orderRequestID</b>	<code>&lt;apCancelService&gt;</code> is a new child element of <code>&lt;requestMessage&gt;</code> .	Documentation for these fields will be published soon.
<b>apCancelService_run</b>	<code>&lt;apCancelService&gt;</code>  <code>&lt;orderRequestID&gt;</code>  <code>&lt;run&gt;</code>  <code>&lt;/apCancelService&gt;</code>	
<b>apCaptureService_ isFinal</b>	<code>&lt;isFinal&gt;</code> is a new child element of <code>&lt;apCaptureService&gt;</code> .	Documentation for this field will be published soon.
<b>apCheckStatusService_ sessionsRequestID</b>	<code>&lt;sessionsRequestID&gt;</code> is a new child element of <code>&lt;apCheckStatusService&gt;</code> .	Documentation for this field will be published soon.
<b>apOrderService_ sessionsRequestID</b>	<code>&lt;apOrderService&gt;</code> is a new child element of <code>&lt;requestMessage&gt;</code> .	Documentation for these fields will be published soon.
<b>apOrderService_run</b>	<code>&lt;apOrderService&gt;</code>  <code>&lt;sessionsRequestID&gt;</code>  <code>&lt;run&gt;</code>  <code>&lt;/apOrderService&gt;</code>	
<b>apRefundService_ saleRequestID</b>	<code>&lt;saleRequestID&gt;</code> is a new child element of <code>&lt;apRefundService&gt;</code> .	Documentation for this field will be published soon.
<b>apSaleService_ orderRequestID</b>	<code>&lt;orderRequestID&gt;</code> is a new child element of <code>&lt;apSaleService&gt;</code> .	Documentation for this field will be published soon.
<b>apSaleService_ billingAgreementID</b>	<code>&lt;billingAgreementID&gt;</code> is a new child element of <code>&lt;apSaleService&gt;</code> .	Documentation for this field will be published soon.

Table 8 New Request Fields for Version 1.137 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apSessionsService_paymentOptionID</b>	<paymentOptionID> is a new child element of <apSessionsService>.	Documentation for this field will be published soon.
<b>item_unitTaxAmount</b>	<unitTaxAmount> is a new child element of <item>.	Documentation for this field will be published soon.
<b>note_toPayee</b>	<note> is a new child element of <requestMessage>.  <note>  <toPayee>  </note>	Documentation for this field will be published soon.
<b>note_toPayer</b>	<note> is a new child element of <requestMessage>.  <note>  <toPayer>  </note>	Documentation for this field will be published soon.
<b>purchaseTotals_subtotalAmount</b>	<subtotalAmount> is a new child element of <purchaseTotals>.	Documentation for this field will be published soon.
<b>purchaseTotals_shippingAmount</b>	<shippingAmount> is a new child element of <purchaseTotals>.	Documentation for this field will be published soon.
<b>purchaseTotals_handlingAmount</b>	<handlingAmount> is a new child element of <purchaseTotals>.	Documentation for this field will be published soon.
<b>purchaseTotals_shippingHandlingAmount</b>	<shippingHandlingAmount> is a new child element of <purchaseTotals>.	Documentation for this field will be published soon.
<b>purchaseTotals_shippingDiscountAmount</b>	<shippingDiscountAmount> is a new child element of <purchaseTotals>.	Documentation for this field will be published soon.
<b>purchaseTotals_giftWrapAmount</b>	<giftWrapAmount> is a new child element of <purchaseTotals>.	Documentation for this field will be published soon.
<b>purchaseTotals_insuranceAmount</b>	<insuranceAmount> is a new child element of <purchaseTotals>.	Documentation for this field will be published soon.
<b>shipTo_notApplicable</b>	<notApplicable> is a new child element of <shipTo>.	Documentation for this field will be published soon.

**Table 8 New Request Fields for Version 1.137 (Continued)**

<b>Name-Value Pair Field Name</b>	<b>Notes for XML</b>	<b>Where Field Is Documented</b>
<b>shipTo_immutable</b>	<immutable> is a new child element of <shipTo>.	Documentation for this field will be published soon.

## New Reply Fields

**Table 9 New Reply Fields for Version 1.137**

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apAuthReversalReply_ processorTransaction ID</b>	<processorTransactionID> is a new child element of <apAuthReversalReply>.	Documentation for this field will be published soon.
<b>apBillingAgreement Reply_amount</b>	<apBillingAgreementReply> is a new child element of <replyMessage>.	Documentation for these fields will be published soon.
<b>apBillingAgreement Reply_status</b>	<apBillingAgreementReply>	
<b>apBillingAgreement Reply_ processorResponse</b>	<amount> <status>	
<b>apBillingAgreement Reply_reasonCode</b>	<processorResponse> <reasonCode>	
<b>apBillingAgreement Reply_dateTime</b>	<dateTime> </ apBillingAgreementReply>	
<b>apCancelReply_ processorTransaction ID</b>	<apCancelReply> is a new child element of <replyMessage>. <apCancelReply>	
<b>apCancelReply_status</b>	<processorTransaction ID>	
<b>apCancelReply_ processorResponse</b>	<status>	
<b>apCancelReply_ reasonCode</b>	<processorResponse>	
<b>apCancelReply_ dateTime</b>	<reasonCode> <dateTime>	
<b>apCancelReply_ paymentStatus</b>	<paymentStatus> </apCancelReply>	
<b>apCaptureReply_ processorTransaction Fee</b>	<processorTransactionFee> is a new child element of <apCaptureReply>	Documentation for this field will be published soon.
<b>apCheckStatusReply_ processorResponse</b>	<processorResponse> is a new child element of <apCheckStatusReply>	Documentation for this field will be published soon.
<b>apCheckStatusReply_ dateTime</b>	<dateTime> is a new child element of <apCheckStatusReply>	Documentation for this field will be published soon.



Table 9 New Reply Fields for Version 1.137 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apRefundReply_ amountToPayer</b>	<amountToPayer> is a new child element of <apRefundReply>.	Documentation for this field will be published soon.
<b>apRefundReply_ processorTransaction FeeRefunded</b>	<processorTransactionFeeRefunded> is a new child element of <apRefundReply>.	Documentation for this field will be published soon.
<b>apRefundReply_ amountFromMerchant</b>	<amountFromMerchant> is a new child element of <apRefundReply>.	Documentation for this field will be published soon.
<b>apRefundReply_ totalRefundAmount</b>	<totalRefundAmount> is a new child element of <apRefundReply>.	Documentation for this field will be published soon.
<b>apRefundReply_ externalFunding Amount</b>	<externalFundingAmount> is a new child element of <apRefundReply>.	Documentation for this field will be published soon.
<b>apRefundReply_ amountFromOriginal Recipient</b>	<amountFromOriginalRecipient> is a new child element of <apRefundReply>.	Documentation for this field will be published soon.
<b>apRefundReply_ cumulativeAmount</b>	<cumulativeAmount> is a new child element of <apRefundReply>.	Documentation for this field will be published soon.
<b>apReply_ processorFraud Decision</b>	<processorFraudDecision> is a new child element of <apReply>.	Documentation for this field will be published soon.
<b>apReply_ processorFraud DecisionReason</b>	<processorFraudDecisionReason> is a new child element of <apReply>.	Documentation for this field will be published soon.
<b>apReply_customerID</b>	<customerID> is a new child element of <apReply>.	Documentation for this field will be published soon.
<b>apReply_ billingAgreementID</b>	<billingAgreementID> is a new child element of <apReply>.	Documentation for this field will be published soon.
<b>apReply_payerID</b>	<payerID> is a new child element of <apReply>.	Documentation for this field will be published soon.
<b>apReply_ fundingSource</b>	<fundingSource> is a new child element of <apReply>.	Documentation for this field will be published soon.

Table 9 New Reply Fields for Version 1.137 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apReply_ sellerProtection_ eligibility</b>	<sellerProtection> is a new child element of <apReply>.	Documentation for these fields will be published soon.
<b>apReply_ sellerProtection_ type</b>	<sellerProtection>  <eligibility>  <type>  </sellerProtection>	
<b>apSaleReply_ processorTransaction Fee</b>	<processorTransactionFee> is a new child element of <apSaleReply>.	Documentation for this field will be published soon.
<b>apSaleReply_ processorResponse</b>	<processorResponse> is a new child element of <apSaleReply>.	Documentation for this field will be published soon.
<b>apSaleReply_ dateTime</b>	<dateTime> is a new child element of <apSaleReply>.	Documentation for this field will be published soon.
<b>apSessionsReply_ processorTransaction ID</b>	<processorTransactionID> is a new child element of <apSessionsReply>.	Documentation for this field will be published soon.
<b>apSessionsReply_ amount</b>	<amount> is a new child element of <apSessionsReply>.	Documentation for this field will be published soon.
<b>apSessionsReply_ reconciliationID</b>	<reconciliationID> is a new child element of <apSessionsReply>.	Documentation for this field will be published soon.
<b>apSessionsReply_ status</b>	<status> is a new child element of <apSessionsReply>.	Documentation for this field will be published soon.
<b>apSessionsReply_ dateTime</b>	<dateTime> is a new child element of <apSessionsReply>.	Documentation for this field will be published soon.
<b>ccAuthReply_ emsTransactionRisk Score</b>	<emsTransactionRiskScore> is a new child element of <ccAuthReply>.	<a href="#">Credit Card Services Using the Simple Order API</a>
<b>customerVerification Status</b>	<customerVerification Status> is a new child element of <replyMessage>.	Documentation for this field will be published soon.

Table 9 New Reply Fields for Version 1.137 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>ucaf_ downgradeReason Code</b>	<p data-bbox="699 342 1081 399">&lt;ucaf&gt; is a new child element of &lt;replyMessage&gt;.</p> <p data-bbox="699 422 1081 537">&lt;ucaf&gt;      &lt;downgradeReasonCode&gt;  &lt;/ucaf&gt;</p>	<p data-bbox="1143 342 1398 428"><a href="#">Credit Card Services Using the Simple Order API</a></p>

# Version 1.138

## New Reply Fields

Table 10 New Reply Fields for Version 1.138

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>paySubscriptionUpdate Reply_ instrumentIdentifierID</b>	<instrumentIdentifierID> is a new child element of <paySubscriptionUpdate Reply>.	Documentation for this field will be published soon.
<b>paySubscriptionUpdate Reply_ instrumentIdentifier Status</b>	<instrumentIdentifier Status> is a new child element of <paySubscriptionUpdate Reply>.	Documentation for this field will be published soon.
<b>paySubscriptionUpdate Reply_ instrumentIdentifier New</b>	<instrumentIdentifierNew> is a new child element of <paySubscriptionUpdate Reply>.	Documentation for this field will be published soon.
<b>paySubscriptionUpdate Reply_ instrumentIdentifierID New</b>	<instrumentIdentifierID New> is a new child element of <paySubscriptionUpdate Reply>.	Documentation for this field will be published soon.
<b>pos_ terminalCardCapture Capability</b>	<terminalCardCapture Capability> is a new child element of <pos>.	Documentation for this field will be published soon.
<b>pos_ terminalOutput Capability</b>	<terminalOutputCapability > is a new child element of <pos>.	Documentation for this field will be published soon.
<b>pos_ terminalPINCapability</b>	<terminalPINCapability> is a new child element of <pos>.	Documentation for this field will be published soon.

# Release Notes for Version 1.136

## Version 1.136

---

### New Request Field

Table 11 New Request Field for Version 1.136

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>binLookupService_ mode</b>	<mode> is a new child element of <binLookupService>.	Documentation for this field will be published soon.

## New Reply Fields

Table 12 New Reply Fields for Version 1.136

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apCheckStatusReply_ibanSuffix</b>	<ibanSuffix> is a new child element of <apCheckStatusReply>.	Documentation for this field will be published soon.
<b>apReply_transactionExpirationDate</b>	<transactionExpirationDate> is a new child element of <apReply>	Documentation for this field will be published soon.
<b>apSalesReply_amount</b>	<amount> is a new child element of <apSalesReply>	Documentation for this field will be published soon.
<b>card_cardTypeName</b>	<cardTypeName> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_cardSubType</b>	<cardSubType> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_level2Eligible</b>	<level2Eligible> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_level3Eligible</b>	<level3Eligible> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_productCategory</b>	<productCategory> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_crossBorderIndicator</b>	<crossBorderIndicator> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_billingCurrency</b>	<billingCurrency> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_billingCurrencyNumericCode</b>	<billingCurrencyNumericCode> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_billingCurrencyMinorDigits</b>	<billingCurrencyMinorDigits> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_octFastFundsIndicator</b>	<octFastFundsIndicator> is a new child element of <card>	Documentation for this field will be published soon.

Table 12 New Reply Fields for Version 1.136 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>card_octBlockIndicator</b>	<octBlockIndicator> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_onlineGamblingBlockIndicator</b>	<onlineGamblingBlockIndicator> is a new child element of <card>	Documentation for this field will be published soon.
<b>deviceFingerprint_trueIPAddressState</b>	<trueIPAddressState> is a new child element of <deviceFingerprint>	Documentation for this field will be published soon.
<b>issuer_name</b>	<name> is a new child element of <issuer>	Documentation for this field will be published soon.
<b>issuer_country</b>	<country> is a new child element of <issuer>	Documentation for this field will be published soon.
<b>issuer_countryNumericCode</b>	<countryNumericCode> is a new child element of <issuer>	Documentation for this field will be published soon.
<b>issuer_phoneNumber</b>	<phoneNumber> is a new child element of <issuer>	Documentation for this field will be published soon.

## Removed Reply Fields

Table 13 Removed Reply Fields for Version 1.136

Name-Value Pair Field Name	Notes for XML
<b>apOptionsOptions_option</b>	<apOptionsOptions_option> was removed from the <replyMessage> element.
<b>binLookupReply_cardType</b>	<cardType> was removed from the <binLookupReply> element.
<b>binLookupReply_cardGroup</b>	<cardGroup> was removed from the <binLookupReply> element.
<b>binLookupReply_issuerName</b>	<issuerName> was removed from the <binLookupReply> element.
<b>binLookupReply_issuerCountry</b>	<issuerCountry> was removed from the <binLookupReply> element.
<b>binLookupReply_issuedCurrency</b>	<issuedCurrency> was removed from the <binLookupReply> element.
<b>binLookupReply_level2Eligibility</b>	<level2Eligibility> was removed from the <binLookupReply> element.
<b>binLookupReply_level3Eligibility</b>	<level3Eligibility> was removed from the <binLookupReply> element.
<b>binLookupReply_cardCategory</b>	<cardCategory> was removed from the <binLookupReply> element.
<b>binLookupReply_crossBorderIndicator</b>	<crossBorderIndicator> was removed from the <binLookupReply> element.
<b>binLookupReply_issuerPhoneNumber</b>	<issuerPhoneNumber> was removed from the <binLookupReply> element.
<b>binLookupReply_billingCurrency</b>	<billingCurrency> was removed from the <binLookupReply> element.
<b>binLookupReply_billingCurrencyMinorDigits</b>	<billingCurrencyMinorDigits> was removed from the <binLookupReply> element.
<b>binLookupReply_fastFundsIndicator</b>	<fastFundsIndicator> was removed from the <binLookupReply> element.
<b>binLookupReply_octBlockIndicator</b>	<octBlockIndicator> was removed from the <binLookupReply> element.
<b>binLookupReply_onlineGamblingBlockIndicator</b>	<onlineGamblingBlockIndicator> was removed from the <binLookupReply> element.



# Release Notes for Version 1.135

## Version 1.135

### New Reply Fields

Table 14 New Reply Fields for Version 1.135

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>paySubscriptionCreate Reply_instrumentIdentifierID</b>	<instrumentIdentifierID> is a new child element of <paySubscriptionCreate Reply>.	Documentation for this field will be published soon.
<b>paySubscriptionCreate Reply_instrumentIdentifier Status</b>	<instrumentIdentifier Status> is a new child element of <paySubscriptionCreate Reply>	Documentation for this field will be published soon.
<b>paySubscriptionCreate Reply_instrumentIdentifier New</b>	<instrumentIdentifierNew> is a new child element of <paySubscriptionCreate Reply>	Documentation for this field will be published soon.
<b>paySubscriptionCreate Reply_instrumentIdentifierID New</b>	<instrumentIdentifierID New> is a new child element of <paySubscriptionCreate Reply>	Documentation for this field will be published soon.
<b>paySubscription RetrieveReply_instrumentIdentifierID</b>	<instrumentIdentifierID> is a new child element of <paySubscriptionRetrieve Reply>	Documentation for this field will be published soon.
<b>paySubscription RetrieveReply_instrumentIdentifier Status</b>	<instrumentIdentifier Status> is a new child element of <paySubscriptionRetrieve Reply>	Documentation for this field will be published soon.

Table 14 New Reply Fields for Version 1.135 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>paySubscription RetrieveReply_ instrumentIdentifierID New</b>	<instrumentIdentifierID New> is a new child element of <paySubscriptionRetrieve Reply>	Documentation for this field will be published soon.
<b>paySubscriptionDelete Reply_ instrumentIdentifierID</b>	<instrumentIdentifierID> is a new child element of <paySubscriptionDelete Reply>	Documentation for this field will be published soon.

# Release Notes for Version 1.134

## Version 1.134

---

### New Reply Fields

Table 15 New Reply Fields for Version 1.134

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>authIndicator</b>	<authIndicator> is a new child element of <replyMessage>.	<a href="#">Credit Card Services Using the Simple Order API</a>
<b>getVisaCheckoutData Reply_reasonCode</b>	<pre> &lt;getVisaCheckoutData Reply&gt; is a new child element of &lt;replyMessage&gt;.  &lt;getVisaCheckoutData Reply&gt;      &lt;reasonCode&gt;  &lt;/getVisaCheckoutData Reply&gt; </pre>	<a href="#">Visa Checkout Using the Simple Order API</a>

## Newly Documented Request Fields

Table 16 Newly Documented Request Fields

Name-Value Pair Field Name	Where Field Is Documented	Notes
ccAuthService_ cardholderVerification Method	<i>Card-Present Processing Using the Simple Order API</i>	This field was originally documented in Version 1.127

## Newly Documented Reply Fields

Table 17 Newly Documented Reply Fields

Name-Value Pair Field Name	Where Field Is Documented	Notes
ccAuthReply_ reconciliationReference Number	<i>Credit Card Services Using the Simple Order API</i>	This field was originally documented in Version 1.133
ccCaptureReply_ reconciliationReference Number	<i>Credit Card Services Using the Simple Order API</i>	This field was originally documented in Version 1.133
ccCreditReply_ reconciliationReference Number	<i>Credit Card Services Using the Simple Order API</i>	This field was originally documented in Version 1.133

# Release Notes for Version 1.133

## Version 1.133

### New Reply Fields

Table 18 New Reply Fields for Version 1.133

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apOptionsOptions_option</b>	<option> is a new child element of <apOptionsOptions>.	<a href="#">Online Bank Transfers Using the Simple Order API</a>
<b>bankTransferRefundReply_reconciliationReferenceNumber</b>	<reconciliationReferenceNumber> is a new child element of <bankTransferRefundReply>.	<a href="#">Ingenico ePayments Developer Guide</a>
<b>bankTransferReply_reconciliationReferenceNumber</b>	<reconciliationReferenceNumber> is a new child element of <bankTransferReply>.	<a href="#">Ingenico ePayments Developer Guide</a>
<b>bankTransferRealTimeReply_reconciliationReferenceNumber</b>	<reconciliationReferenceNumber> is a new child element of <bankTransferRealTimeReply>.	<a href="#">Ingenico ePayments Developer Guide</a>
<b>ccAuthReply_reconciliationReferenceNumber</b>	<reconciliationReferenceNumber> is a new child element of <ccAuthReply>.	Documentation for this field will be published soon.
<b>ccCaptureReply_reconciliationReferenceNumber</b>	<reconciliationReferenceNumber> is a new child element of <ccCaptureReply>.	Documentation for this field will be published soon.
<b>ccCreditReply_reconciliationReferenceNumber</b>	<reconciliationReferenceNumber> is a new child element of <ccCreditReply>.	Documentation for this field will be published soon.
<b>directDebitReply_reconciliationReferenceNumber</b>	<reconciliationReferenceNumber> is a new child element of <directDebitReply>.	<a href="#">Ingenico ePayments Developer Guide</a>

Table 18 New Reply Fields for Version 1.133 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>directDebitRefundReply_</b> <b>reconciliationReference</b> <b>Number</b>	<reconciliationReference Number> is a new child element of <directDebitRefundReply>.	<a href="#">Ingenico ePayments Developer Guide</a>
<b>taxReply_</b> <b>totalTaxableAmount</b>	<totalTaxableAmount> is a new child element of <taxReply>.	<a href="#">Tax Calculation Service Using the Simple Order API</a>
<b>taxReply_</b> <b>totalExemptAmount</b>	<totalExemptAmount> is a new child element of <taxReply>.	<a href="#">Tax Calculation Service Using the Simple Order API</a>
<b>taxReply_</b> <b>totalSpecialTaxAmount</b>	<totalSpecialTaxAmount> is a new child element of <taxReply>.	<a href="#">Tax Calculation Service Using the Simple Order API</a>
<b>taxReply_</b> <b>totalTaxCountry</b> <b>Amount</b>	<totalTaxCountryAmount> is a new child element of <taxReply>.	<a href="#">Tax Calculation Service Using the Simple Order API</a>
<b>taxReplyItem_</b> <b>taxableAmount</b>	<taxableAmount> is a new child element of <taxReplyItem>.	<a href="#">Tax Calculation Service Using the Simple Order API</a>
<b>taxReplyItem_</b> <b>exemptAmount</b>	<exemptAmount> is a new child element of <taxReplyItem>.	<a href="#">Tax Calculation Service Using the Simple Order AP</a>
<b>taxReplyItem_</b> <b>specialTaxAmount</b>	<specialTaxAmount> is a new child element of <taxReplyItem>.	<a href="#">Tax Calculation Service Using the Simple Order API</a>
<b>taxReplyItem_</b> <b>countryTaxAmount</b>	<countryTaxAmount> is a new child element of <taxReplyItem>.	<a href="#">Tax Calculation Service Using the Simple Order API</a>
<b>taxReplyItem_id</b>	<id> is a new child element of <taxReplyItem>.	Documentation for this field will be published soon.

Table 18 New Reply Fields for Version 1.133 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
taxReplyItem Jurisdiction_country	<taxReplyItem Jurisdiction> is a new child element of <replyMessage>.	<a href="#">Tax Calculation Service Using the Simple Order API</a>
taxReplyItem Jurisdiction_region	<taxReplyItem Jurisdiction>	
taxReplyItem Jurisdiction_type	<country>	
taxReplyItem Jurisdiction_code	<region>	
taxReplyItem Jurisdiction_taxable	<type>	
taxReplyItem Jurisdiction_rate	<code>	
taxReplyItem Jurisdiction_taxAmount	<taxable>	
taxReplyItem Jurisdiction_name	<rate>	
taxReplyItem Jurisdiction_taxName	<taxAmount>	
	<name>	
	<taxName>	
	</taxReplyItem Jurisdiction>	

## Renamed Reply Field

Table 19 New Reply Field for Version 1.133

Name-Value Pair Field Name	Notes for XML
apCaptureReply_transactionID was renamed to apCaptureReply_processorTransactionID	<apCaptureReply_transactionID> was renamed to <apCaptureReply_ processorTransactionID>.

# Release Notes for Version 1.132

## Version 1.132

### New Request Fields

Table 20 New Request Fields for Version 1.132

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>billTo_merchantTaxID</b>	<merchantTaxID> is a new child element of <billTo>.	Documentation for this field will be published soon.
<b>ccAuthService_overridePaymentDetails</b>	<overridePaymentDetails> is a new child element of <ccAuthService>.	Documentation for this field will be published soon.
<b>ccCreditService_overridePaymentDetails</b>	<overridePaymentDetails> is a new child element of <ccCreditService>.	Documentation for this field will be published soon.
<b>ccCreditService_overridePaymentMethod</b>	<overridePaymentMethod> is a new child element of <ccCreditService>.	Documentation for this field will be published soon.
<b>promotionGroup_prohibitDiscount</b>	<prohibitDiscount> is a new child element of <promotionGroup>.	Documentation for this field will be published soon.
<b>eligibilityInquiry</b>	<eligibilityInquiry> is a new child element of <requestMessage>.	Documentation for this field will be published soon.
<b>loan_assetType</b> <b>loan_type</b>	<loan> is a new child element of <requestMessage>.  <pre>&lt;loan&gt;   &lt;assetType&gt;   &lt;type&gt; &lt;/loan&gt;</pre>	Documentation for these fields will be published soon.



Table 20 New Request Fields for Version 1.132 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>redemptionInquiry</b>	<redemptionInquiry> is a new child element of <requestMessage>.	Documentation for this field will be published soon.
<b>subsequentAuthFirst</b>	<subsequentAuthFirst> is a new child element of <requestMessage>.	<a href="#">Credit Card Services Using the Simple Order API</a>
<b>subsequentAuth Reason</b>	<subsequentAuthReason> is a new child element of <requestMessage>.	<a href="#">Credit Card Services Using the Simple Order API</a>
<b>subsequentAuth TransactionID</b>	<subsequentAuth TransactionID> is a new child element of <requestMessage>.	<a href="#">Credit Card Services Using the Simple Order API</a>

## New Reply Fields

Table 21 New Reply Fields for Version 1.132

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>ccAuthReply_transactionIntegrity</b>	<transactionIntegrity> is a new child element of <ccAuthReply>.	<a href="#">Credit Card Services Using the Simple Order API</a>
<b>encryptedPayment_errorCode</b>	<errorCode> is a new child element of <encryptedPayment>.	Documentation for this field will be published soon.
<b>encryptedPayment_referenceID</b>	<referenceID> is a new child element of <encryptedPayment>.	Documentation for this field will be published soon.
<b>installment_additionalCosts</b>	<additionalCosts> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_additionalCostsPercentage</b>	<additionalCostsPercentage> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_amountFunded</b>	<amountFunded> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_amountRequestedPercentage</b>	<amountRequestedPercentage> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_annualFinancingCost</b>	<annualFinancingCost> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_annualInterestRate</b>	<annualInterestRate> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_expenses</b>	<expenses> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_expensesPercentage</b>	<expensesPercentage> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_fees</b>	<fees> is a new child element of <installment>.	Documentation for this field will be published soon.

Table 21 New Reply Fields for Version 1.132 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>installment_ feesPercentage</b>	<feesPercentage> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_ firstInstallmentDate</b>	<firstInstallmentDate> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_ insurance</b>	<insurance> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_ insurancePercentage</b>	<insurancePercentage> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_ invoiceData</b>	<invoiceData> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_ monthlyInterestRate</b>	<monthlyInterestRate> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_ paymentType</b>	<paymentType> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_ taxes</b>	<taxes> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_ taxesPercentage</b>	<taxesPercentage> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>paymentAccount Reference</b>	<paymentAccountReference> is a new child element of <replyMessage>.	<a href="#">Card-Present Processing Using the Simple Order API</a>

# Release Notes for Version 1.131

## Version 1.131

### New Request Fields

Table 22 New Request Fields for Version 1.131

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>ap_apiKey</b>	<apiKey> is a new child element of <ap>.	Documentation for this field will be published soon.
<b>apSessionsService_cancelURL</b>	<apSessionsService> is a new child element of <requestMessage>.	Documentation for these fields will be published soon.
<b>apSessionsService_successURL</b>	<apSessionsService>	
<b>apSessionsService_failureURL</b>	<cancelURL>	
<b>apSessionsService_reconciliationID</b>	<successURL>	
<b>apSessionsService_overridePayment Method</b>	<failureURL>	
<b>apSessionsService_run</b>	<reconciliationID>	
	<overridePayment Method>	
	<run>	
	</apSessionsService>	

Table 22 New Request Fields for Version 1.131 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apUI_colorBorder</b>	<apUI> is a new child element of <requestMessage>.	Documentation for these fields will be published soon.
<b>apUI_colorBorderSelected</b>	<apUI>	
<b>apUI_colorButton</b>	<colorBorder>	
<b>apUI_colorButtonText</b>	<colorBorderSelected>	
<b>apUI_colorCheckbox</b>	<colorButton>	
<b>apUI_colorCheckboxCheck Mark</b>	<colorButtonText>	
<b>apUI_colorHeader</b>	<colorCheckboxCheck Mark>	
<b>apUI_colorLink</b>	<colorHeader>	
<b>apUI_colorText</b>	<colorLink>	
<b>apUI_borderRadius</b>	<colorText>	
<b>apUI_theme</b>	<borderRadius>	
	<theme>	
	</apUI>	

## Renamed Request Field

Table 23 New Reply Field for Version 1.131

Name-Value Pair Field Name	Notes for XML
<b>personalId</b>	<personalId> was renamed to <personalID>.
<b>personalID</b>	

## New Reply Fields

Table 24 New Reply Fields for Version 1.131

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apSessionsReply_reasonCode</b>	<apSessionsReply> is a new child element of <replyMessage>.	Documentation for these fields will be published soon.
<b>apSessionsReply_responseCode</b>	<apSessionsReply> <reasonCode>	
<b>apSessionsReply_merchantURL</b>	<responseCode> <merchantURL>	
<b>apSessionsReply_processorToken</b>	<processorToken> </apSessionsReply>	
<b>dmeReply_cardBin</b>	<cardBin> is a new child element of <dmeReply>.	
<b>dmeReply_binCountry</b>	<binCountry> is a new child element of <dmeReply>.	<i>CyberSource Decision Manager Account Takeover Protection Service</i>
<b>dmeReply_cardAccountType</b>	<cardAccountType> is a new child element of <dmeReply>.	<i>CyberSource Decision Manager Account Takeover Protection Service</i>
<b>dmeReply_cardScheme</b>	<cardScheme> is a new child element of <dmeReply>.	<i>CyberSource Decision Manager Account Takeover Protection Service</i>
<b>dmeReply_cardIssuer</b>	<cardIssuer> is a new child element of <dmeReply>.	<i>CyberSource Decision Manager Account Takeover Protection Service</i>

# Release Notes for Version 1.130

## Version 1.130

### New Request Fields

Table 25 New Request Fields for Version 1.130

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>ccAuthService_dccRequestID</b>	<dccRequestID> is a new child element of <ccAuthService>	Documentation for this field will be published soon.
<b>getVisaCheckoutDataService_run</b>	<p>&lt;getVisaCheckoutDataService&gt; is a new child element of &lt;requestMessage&gt;.</p> <pre>&lt;getVisaCheckoutDataService&gt;   &lt;run&gt; &lt;/getVisaCheckoutDataService&gt;</pre>	<a href="#">Visa Checkout Using the Simple Order API</a>
<b>recipient_billingConversionRate</b>	<billingConversionRate> is a new child element of <recipient>	Documentation for this field will be published soon.
<b>transactionMetadata_authRequestID</b>	<transactionMetadata> is a new child element of <requestMessage>.	Documentation for these fields will be published soon.
<b>transactionMetadata_customerSignatureImage</b>	<pre>&lt;transactionMetadata&gt;   &lt;authRequestID&gt;   &lt;customerSignatureImage&gt; &lt;/transactionMetadata&gt;</pre>	

## New Reply Fields

Table 26 New Reply Fields for Version 1.130

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>decisionReply_ morphingElement_#_ count</b>	<morphingElement_#_ count> is a new child element of <decisionReply>.	<i>CyberSource Decision Manager Using the Simple Order API Developer Guide</i>
<b>decisionReply_ morphingElement_#_ fieldName</b>	<morphingElement_#_ fieldName> is a new child element of <decisionReply>.	<i>CyberSource Decision Manager Using the Simple Order API Developer Guide</i>
<b>decisionReply_ morphingElement_#_ infoCode</b>	<morphingElement_#_ infoCode> is a new child element of <decisionReply>.	<i>CyberSource Decision Manager Using the Simple Order API Developer Guide</i>
<b>dmeReply_ eventVelocityInfoCode</b>	<eventVelocityInfoCode> is a new child element of <dmeReply>.	Documentation for this field will be published soon.
<b>dmeReply_ morphingElement_#_ count</b>	<morphingElement_#_ count> is a new child element of <dmeReply>.	<i>CyberSource Decision Manager Account Takeover Protection Service</i>
<b>dmeReply_ morphingElement_#_ fieldName</b>	<morphingElement_#_ fieldName> is a new child element of <dmeReply>.	<i>CyberSource Decision Manager Account Takeover Protection Service</i>
<b>dmeReply_ morphingElement_#_ infoCode</b>	<morphingElement_#_ infoCode> is a new child element of <dmeReply>.	<i>CyberSource Decision Manager Account Takeover Protection Service</i>
<b>feeProgramIndicator</b>	<feeProgramIndicator> is a new child element of <replyMessage>.	Documentation for this field will be published soon.



# Release Notes for Version 1.129

## Version 1.129

---

### New Request Fields

Table 27 New Request Fields for Version 1.129

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>octService_networkOrder</b>	<networkOrder> is a new child element of <octService>	Documentation for this field will be published soon.
<b>recipient_billingAmount</b>	<billingAmount> is a new child element of <recipient>.	Documentation for this field will be published soon.
<b>recipient_billingCurrency</b>	<billingCurrency> is a new child element of <recipient>.	Documentation for this field will be published soon.
<b>developerID</b>	<developerID> is a new child element of <requestMessage>	Documentation for this field will be published soon.
<b>partnerSolutionID</b>	<partnerSolutionID> is a new child element of <requestMessage>	Documentation for this field will be published soon.

## New Reply Fields

**Table 28** New Reply Fields for Version 1.129

<b>Name-Value Pair Field Name</b>	<b>Notes for XML</b>	<b>Where Field Is Documented</b>
<b>recipient_ billingAmount</b>	<billingAmount> is a new child element of <recipient>.	Documentation for this field will be published soon.
<b>recipient_ billingCurrency</b>	<billingCurrency> is a new child element of <recipient>.	Documentation for this field will be published soon.

# Release Notes for Version 1.128

## Version 1.128

---

There are no field changes in this version.