

# CyberSource Simple Order API Release Notes

For Versions 1.137 and 1.138

May 2017

**CyberSource**<sup>®</sup>  
the power of payment

## CyberSource Contact Information

For general information about our company, products, and services, go to <http://www.cybersource.com>.

For sales questions about any CyberSource Service, email [sales@cybersource.com](mailto:sales@cybersource.com) or call 650-432-7350 or 888-330-2300 (toll free in the United States).

For support information about any CyberSource Service, visit the Support Center at <http://www.cybersource.com/support>.

## Copyright

© 2017 CyberSource Corporation. All rights reserved. CyberSource Corporation ("CyberSource") furnishes this document and the software described in this document under the applicable agreement between the reader of this document ("You") and CyberSource ("Agreement"). You may use this document and/or software only in accordance with the terms of the Agreement. Except as expressly set forth in the Agreement, the information contained in this document is subject to change without notice and therefore should not be interpreted in any way as a guarantee or warranty by CyberSource. CyberSource assumes no responsibility or liability for any errors that may appear in this document. The copyrighted software that accompanies this document is licensed to You for use only in strict accordance with the Agreement. You should read the Agreement carefully before using the software. Except as permitted by the Agreement, You may not reproduce any part of this document, store this document in a retrieval system, or transmit this document, in any form or by any means, electronic, mechanical, recording, or otherwise, without the prior written consent of CyberSource.

## Restricted Rights Legends

**For Government or defense agencies.** Use, duplication, or disclosure by the Government or defense agencies is subject to restrictions as set forth the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013 and in similar clauses in the FAR and NASA FAR Supplement.

**For civilian agencies.** Use, reproduction, or disclosure is subject to restrictions set forth in subparagraphs (a) through (d) of the Commercial Computer Software Restricted Rights clause at 52.227-19 and the limitations set forth in CyberSource Corporation's standard commercial agreement for this software. Unpublished rights reserved under the copyright laws of the United States.

## Trademarks

CyberSource, The Power of Payment, CyberSource Payment Manager, CyberSource Risk Manager, CyberSource Decision Manager, CyberSource Connect, Authorize.Net, and eCheck.net are trademarks and/or service marks of CyberSource Corporation. All other brands and product names are trademarks or registered trademarks of their respective owners.

# Contents

**About This Guide** 6

For XML Users 6

For SOAP Users 6

---

**Chapter 1** **Release Notes for Versions 1.137 and 1.138** 7

Version 1.137 7

New Request Fields 7

New Reply Fields 11

Version 1.138 15

New Reply Fields 15

---

**Chapter 2** **Release Notes for Version 1.136** 16

Version 1.136 16

New Request Field 16

New Reply Fields 17

Removed Reply Fields 19

---

**Chapter 3** **Release Notes for Version 1.135** 20

Version 1.135 20

New Reply Fields 20

---

**Chapter 4** **Release Notes for Version 1.134** 22

Version 1.134 22

New Reply Fields 22

Newly Documented Request Fields 23

Newly Documented Reply Fields 23

---

**Chapter 5** **Release Notes for Version 1.133** **24**

- Version 1.133 **24**
- New Reply Fields **24**
- Renamed Reply Field **26**

---

**Chapter 6** **Release Notes for Version 1.132** **27**

- Version 1.132 **27**
- New Request Fields **27**
- New Reply Fields **29**

---

**Chapter 7** **Release Notes for Version 1.131** **31**

- Version 1.131 **31**
- New Request Fields **31**
- Renamed Request Field **32**
- New Reply Fields **33**

---

**Chapter 8** **Release Notes for Version 1.130** **34**

- Version 1.130 **34**
- New Request Fields **34**
- New Reply Fields **35**

---

**Chapter 9** **Release Notes for Version 1.129** **36**

- Version 1.129 **36**
- New Request Fields **36**
- New Reply Fields **37**

---

**Chapter 10** **Release Notes for Version 1.128** **38**

- Version 1.128 **38**

---

**Chapter 11** **Release Notes for Version 1.127** **39**

- Version 1.127 **39**
- New Request Fields **39**
- New Reply Fields **40**
- Newly Documented Request Fields **40**
- Newly Documented Reply Fields **41**

---

<b>Chapter 12</b>	<b>Release Notes for Version 1.126</b>	<b>42</b>
	Version 1.126	42
	New Request Fields	42
	New Reply Fields	43

# About This Guide

In these release notes, each chapter lists fields that have been changed or added to the Simple Order API since the previous version. This guide contains information for the most recent 12 releases. See the implementation guides at the [Support Center](#) for details about using the API to request ICS services.

These release notes use the name-value pair field names to show the changes made to the API.

## For XML Users

---

In the release notes, when changes to the name-value pair fields are presented, notes describing the corresponding changes in the XML element names are also included. The examples show an element's child elements in no particular order. See the XML schema for the required order of elements in your XML messages.

**Note**

See the current version of the XML schema at:  
<https://ics2ws.ic3.com/commerce/1.x/transactionProcessor>.

## For SOAP Users

---

With the changes to existing elements and the addition of new XML elements to the schema, you will see parallel changes in the existing proxy classes or the addition of new proxy classes in the SOAP implementations.

# Release Notes for Versions 1.137 and 1.138

## Version 1.137

### New Request Fields

Table 1 New Request Fields for Version 1.137

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>ap_insuranceAmount</b>	<insuranceAmount> is a new child element of <ap>.	Documentation for this field will be published soon.
<b>ap_billingAgreement Indicator</b>	<billingAgreement Indicator> is a new child element of <ap>.	Documentation for this field will be published soon.
<b>ap_billingAgreementID</b>	<billingAgreementID> is a new child element of <ap>.	Documentation for this field will be published soon.
<b>ap_billingAgreement Description</b>	<billingAgreement Description> is a new child element of <ap>.	Documentation for this field will be published soon.
<b>ap_payerID</b>	<payerID> is a new child element of <ap>.	Documentation for this field will be published soon.
<b>ap_fundingSource</b>	<fundingSource> is a new child element of <ap>.	Documentation for this field will be published soon.
<b>ap_shippingAddress Immutable</b>	<shippingAddress Immutable> is a new child element of <ap>.	Documentation for this field will be published soon.
<b>apAuthService_orderRequestID</b>	<orderRequestID> is a new child element of <apAuthService>.	Documentation for this field will be published soon.

Table 1 New Request Fields for Version 1.137 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apBillingAgreement Service_ sessionsRequestID</b>	<apBillingAgreement Service> is a new child element of <requestMessage>.	Documentation for these fields will be published soon.
<b>apBillingAgreement Service_run</b>	<apBillingAgreement Service>  <sessionsRequestID>  <run>  </apBillingAgreement Service>	
<b>apCancelService_ orderRequestID</b>	<apCancelService> is a new child element of <requestMessage>.	Documentation for these fields will be published soon.
<b>apCancelService_run</b>	<apCancelService>  <orderRequestID>  <run>  </apCancelService>	
<b>apCaptureService_ isFinal</b>	<isFinal> is a new child element of <apCaptureService>.	Documentation for this field will be published soon.
<b>apCheckStatusService_ sessionsRequestID</b>	<sessionsRequestID> is a new child element of <apCheckStatusService>.	Documentation for this field will be published soon.
<b>apOrderService_ sessionsRequestID</b>	<apOrderService> is a new child element of <requestMessage>.	Documentation for these fields will be published soon.
<b>apOrderService_run</b>	<apOrderService>  <sessionsRequestID>  <run>  </apOrderService>	
<b>apRefundService_ saleRequestID</b>	<saleRequestID> is a new child element of <apRefundService>.	Documentation for this field will be published soon.
<b>apSaleService_ orderRequestID</b>	<orderRequestID> is a new child element of <apSaleService>.	Documentation for this field will be published soon.
<b>apSaleService_ billingAgreementID</b>	<billingAgreementID> is a new child element of <apSaleService>.	Documentation for this field will be published soon.



Table 1 New Request Fields for Version 1.137 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apSessionsService_ paymentOptionID</b>	<paymentOptionID> is a new child element of <apSessionsService>.	Documentation for this field will be published soon.
<b>item_unitTaxAmount</b>	<unitTaxAmount> is a new child element of <item>.	Documentation for this field will be published soon.
<b>note_toPayee</b>	<note> is a new child element of <requestMessage>.  <note>  <toPayee>  </note>	Documentation for this field will be published soon.
<b>note_toPayer</b>	<note> is a new child element of <requestMessage>.  <note>  <toPayer>  </note>	Documentation for this field will be published soon.
<b>purchaseTotals_ subtotalAmount</b>	<subtotalAmount> is a new child element of <purchaseTotals>.	Documentation for this field will be published soon.
<b>purchaseTotals_ shippingAmount</b>	<shippingAmount> is a new child element of <purchaseTotals>.	Documentation for this field will be published soon.
<b>purchaseTotals_ handlingAmount</b>	<handlingAmount> is a new child element of <purchaseTotals>.	Documentation for this field will be published soon.
<b>purchaseTotals_ shippingHandling Amount</b>	<shippingHandlingAmount> is a new child element of <purchaseTotals>.	Documentation for this field will be published soon.
<b>purchaseTotals_ shippingDiscount Amount</b>	<shippingDiscountAmount> is a new child element of <purchaseTotals>.	Documentation for this field will be published soon.
<b>purchaseTotals_ giftWrapAmount</b>	<giftWrapAmount> is a new child element of <purchaseTotals>.	Documentation for this field will be published soon.
<b>purchaseTotals_ insuranceAmount</b>	<insuranceAmount> is a new child element of <purchaseTotals>.	Documentation for this field will be published soon.
<b>shipTo_notApplicable</b>	<notApplicable> is a new child element of <shipTo>.	Documentation for this field will be published soon.

**Table 1 New Request Fields for Version 1.137 (Continued)**

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>shipTo_immutable</b>	<immutable> is a new child element of <shipTo>.	Documentation for this field will be published soon.

## New Reply Fields

Table 2 New Reply Fields for Version 1.137

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apAuthReversalReply_ processorTransaction ID</b>	<processorTransactionID> is a new child element of <apAuthReversalReply>.	Documentation for this field will be published soon.
<b>apBillingAgreement Reply_amount</b>	<apBillingAgreementReply> is a new child element of <replyMessage>.	Documentation for these fields will be published soon.
<b>apBillingAgreement Reply_status</b>	<apBillingAgreementReply>	
<b>apBillingAgreement Reply_ processorResponse</b>	<amount> <status>	
<b>apBillingAgreement Reply_reasonCode</b>	<processorResponse> <reasonCode>	
<b>apBillingAgreement Reply_dateTime</b>	<dateTime> </ apBillingAgreementReply>	
<b>apCancelReply_ processorTransaction ID</b>	<apCancelReply> is a new child element of <replyMessage>. <apCancelReply>	
<b>apCancelReply_status</b>	<processorTransaction ID>	
<b>apCancelReply_ processorResponse</b>	<status>	
<b>apCancelReply_ reasonCode</b>	<processorResponse>	
<b>apCancelReply_ dateTime</b>	<reasonCode> <dateTime>	
<b>apCancelReply_ paymentStatus</b>	<paymentStatus> </apCancelReply>	
<b>apCaptureReply_ processorTransaction Fee</b>	<processorTransactionFee> is a new child element of <apCaptureReply>	Documentation for this field will be published soon.
<b>apCheckStatusReply_ processorResponse</b>	<processorResponse> is a new child element of <apCheckStatusReply>	Documentation for this field will be published soon.
<b>apCheckStatusReply_ dateTime</b>	<dateTime> is a new child element of <apCheckStatusReply>	Documentation for this field will be published soon.

Table 2 New Reply Fields for Version 1.137 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apRefundReply_ amountToPayer</b>	<amountToPayer> is a new child element of <apRefundReply>.	Documentation for this field will be published soon.
<b>apRefundReply_ processorTransaction FeeRefunded</b>	<processorTransactionFee Refunded> is a new child element of <apRefundReply>.	Documentation for this field will be published soon.
<b>apRefundReply_ amountFromMerchant</b>	<amountFromMerchant> is a new child element of <apRefundReply>.	Documentation for this field will be published soon.
<b>apRefundReply_ totalRefundAmount</b>	<totalRefundAmount> is a new child element of <apRefundReply>.	Documentation for this field will be published soon.
<b>apRefundReply_ externalFunding Amount</b>	<externalFundingAmount> is a new child element of <apRefundReply>.	Documentation for this field will be published soon.
<b>apRefundReply_ amountFromOriginal Recipient</b>	<amountFromOriginal Recipient> is a new child element of <apRefundReply>.	Documentation for this field will be published soon.
<b>apRefundReply_ cumulativeAmount</b>	<cumulativeAmount> is a new child element of <apRefundReply>.	Documentation for this field will be published soon.
<b>apReply_ processorFraud Decision</b>	<processorFraudDecision> is a new child element of <apReply>.	Documentation for this field will be published soon.
<b>apReply_ processorFraud DecisionReason</b>	<processorFraudDecision Reason> is a new child element of <apReply>.	Documentation for this field will be published soon.
<b>apReply_ customerID</b>	<customerID> is a new child element of <apReply>.	Documentation for this field will be published soon.
<b>apReply_ billingAgreementID</b>	<billingAgreementID> is a new child element of <apReply>.	Documentation for this field will be published soon.
<b>apReply_ payerID</b>	<payerID> is a new child element of <apReply>.	Documentation for this field will be published soon.
<b>apReply_ fundingSource</b>	<fundingSource> is a new child element of <apReply>.	Documentation for this field will be published soon.

Table 2 New Reply Fields for Version 1.137 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apReply_sellerProtection_eligibility</b>	<sellerProtection> is a new child element of <apReply>.	Documentation for these fields will be published soon.
<b>apReply_sellerProtection_type</b>	<sellerProtection> <eligibility> <type> </sellerProtection>	
<b>apSaleReply_processorTransactionFee</b>	<processorTransactionFee> is a new child element of <apSaleReply>.	Documentation for this field will be published soon.
<b>apSaleReply_processorResponse</b>	<processorResponse> is a new child element of <apSaleReply>.	Documentation for this field will be published soon.
<b>apSaleReply_dateTime</b>	<dateTime> is a new child element of <apSaleReply>.	Documentation for this field will be published soon.
<b>apSessionsReply_processorTransactionID</b>	<processorTransactionID> is a new child element of <apSessionsReply>.	Documentation for this field will be published soon.
<b>apSessionsReply_amount</b>	<amount> is a new child element of <apSessionsReply>.	Documentation for this field will be published soon.
<b>apSessionsReply_reconciliationID</b>	<reconciliationID> is a new child element of <apSessionsReply>.	Documentation for this field will be published soon.
<b>apSessionsReply_status</b>	<status> is a new child element of <apSessionsReply>.	Documentation for this field will be published soon.
<b>apSessionsReply_dateTime</b>	<dateTime> is a new child element of <apSessionsReply>.	Documentation for this field will be published soon.
<b>ccAuthReply_emsTransactionRiskScore</b>	<emsTransactionRiskScore> is a new child element of <ccAuthReply>.	<a href="#">Credit Card Services Using the Simple Order API</a>
<b>customerVerificationStatus</b>	<customerVerificationStatus> is a new child element of <replyMessage>.	Documentation for this field will be published soon.

Table 2 New Reply Fields for Version 1.137 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>ucaf_ downgradeReason Code</b>	<ucaf> is a new child element of <replyMessage>. <ucaf>  <downgradeReasonCode>  </ucaf>	<a href="#">Credit Card Services Using the Simple Order API</a>

# Version 1.138

## New Reply Fields

Table 3 New Reply Fields for Version 1.138

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>paySubscriptionUpdate Reply_ instrumentIdentifierID</b>	<instrumentIdentifierID> is a new child element of <paySubscriptionUpdate Reply>.	Documentation for this field will be published soon.
<b>paySubscriptionUpdate Reply_ instrumentIdentifier Status</b>	<instrumentIdentifier Status> is a new child element of <paySubscriptionUpdate Reply>.	Documentation for this field will be published soon.
<b>paySubscriptionUpdate Reply_ instrumentIdentifier New</b>	<instrumentIdentifierNew> is a new child element of <paySubscriptionUpdate Reply>.	Documentation for this field will be published soon.
<b>paySubscriptionUpdate Reply_ instrumentIdentifierID New</b>	<instrumentIdentifierID New> is a new child element of <paySubscriptionUpdate Reply>.	Documentation for this field will be published soon.
<b>pos_ terminalCardCapture Capability</b>	<terminalCardCapture Capability> is a new child element of <pos>.	Documentation for this field will be published soon.
<b>pos_ terminalOutput Capability</b>	<terminalOutputCapability > is a new child element of <pos>.	Documentation for this field will be published soon.
<b>pos_ terminalPINCapability</b>	<terminalPINCapability> is a new child element of <pos>.	Documentation for this field will be published soon.

# Release Notes for Version 1.136

## Version 1.136

---

### New Request Field

Table 4 New Request Field for Version 1.136

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>binLookupService_ mode</b>	<mode> is a new child element of <binLookupService>.	Documentation for this field will be published soon.



## New Reply Fields

Table 5 New Reply Fields for Version 1.136

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apCheckStatusReply_ibanSuffix</b>	<ibanSuffix> is a new child element of <apCheckStatusReply>.	Documentation for this field will be published soon.
<b>apReply_transactionExpirationDate</b>	<transactionExpirationDate> is a new child element of <apReply>	Documentation for this field will be published soon.
<b>apSalesReply_amount</b>	<amount> is a new child element of <apSalesReply>	Documentation for this field will be published soon.
<b>card_cardTypeName</b>	<cardTypeName> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_cardSubType</b>	<cardSubType> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_level2Eligible</b>	<level2Eligible> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_level3Eligible</b>	<level3Eligible> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_productCategory</b>	<productCategory> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_crossBorderIndicator</b>	<crossBorderIndicator> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_billingCurrency</b>	<billingCurrency> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_billingCurrencyNumericCode</b>	<billingCurrencyNumericCode> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_billingCurrencyMinorDigits</b>	<billingCurrencyMinorDigits> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_octFastFundsIndicator</b>	<octFastFundsIndicator> is a new child element of <card>	Documentation for this field will be published soon.

Table 5 New Reply Fields for Version 1.136 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>card_octBlockIndicator</b>	<octBlockIndicator> is a new child element of <card>	Documentation for this field will be published soon.
<b>card_onlineGamblingBlockIndicator</b>	<onlineGamblingBlockIndicator> is a new child element of <card>	Documentation for this field will be published soon.
<b>deviceFingerprint_trueIPAddressState</b>	<trueIPAddressState> is a new child element of <deviceFingerprint>	Documentation for this field will be published soon.
<b>issuer_name</b>	<name> is a new child element of <issuer>	Documentation for this field will be published soon.
<b>issuer_country</b>	<country> is a new child element of <issuer>	Documentation for this field will be published soon.
<b>issuer_countryNumericCode</b>	<countryNumericCode> is a new child element of <issuer>	Documentation for this field will be published soon.
<b>issuer_phoneNumber</b>	<phoneNumber> is a new child element of <issuer>	Documentation for this field will be published soon.

## Removed Reply Fields

Table 6 Removed Reply Fields for Version 1.136

Name-Value Pair Field Name	Notes for XML
<b>apOptionsOptions_option</b>	<apOptionsOptions_option> was removed from the <replyMessage> element.
<b>binLookupReply_cardType</b>	<cardType> was removed from the <binLookupReply> element.
<b>binLookupReply_cardGroup</b>	<cardGroup> was removed from the <binLookupReply> element.
<b>binLookupReply_issuerName</b>	<issuerName> was removed from the <binLookupReply> element.
<b>binLookupReply_issuerCountry</b>	<issuerCountry> was removed from the <binLookupReply> element.
<b>binLookupReply_issuedCurrency</b>	<issuedCurrency> was removed from the <binLookupReply> element.
<b>binLookupReply_level2Eligibility</b>	<level2Eligibility> was removed from the <binLookupReply> element.
<b>binLookupReply_level3Eligibility</b>	<level3Eligibility> was removed from the <binLookupReply> element.
<b>binLookupReply_cardCategory</b>	<cardCategory> was removed from the <binLookupReply> element.
<b>binLookupReply_crossBorderIndicator</b>	<crossBorderIndicator> was removed from the <binLookupReply> element.
<b>binLookupReply_issuerPhoneNumber</b>	<issuerPhoneNumber> was removed from the <binLookupReply> element.
<b>binLookupReply_billingCurrency</b>	<billingCurrency> was removed from the <binLookupReply> element.
<b>binLookupReply_billingCurrencyMinorDigits</b>	<billingCurrencyMinorDigits> was removed from the <binLookupReply> element.
<b>binLookupReply_fastFundsIndicator</b>	<fastFundsIndicator> was removed from the <binLookupReply> element.
<b>binLookupReply_octBlockIndicator</b>	<octBlockIndicator> was removed from the <binLookupReply> element.
<b>binLookupReply_onlineGamblingBlockIndicator</b>	<onlineGamblingBlockIndicator> was removed from the <binLookupReply> element.

# Release Notes for Version 1.135

## Version 1.135

### New Reply Fields

Table 7 New Reply Fields for Version 1.135

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>paySubscriptionCreate Reply_instrumentIdentifierID</b>	<instrumentIdentifierID> is a new child element of <paySubscriptionCreate Reply>.	Documentation for this field will be published soon.
<b>paySubscriptionCreate Reply_instrumentIdentifier Status</b>	<instrumentIdentifier Status> is a new child element of <paySubscriptionCreate Reply>	Documentation for this field will be published soon.
<b>paySubscriptionCreate Reply_instrumentIdentifier New</b>	<instrumentIdentifierNew> is a new child element of <paySubscriptionCreate Reply>	Documentation for this field will be published soon.
<b>paySubscriptionCreate Reply_instrumentIdentifierID New</b>	<instrumentIdentifierID New> is a new child element of <paySubscriptionCreate Reply>	Documentation for this field will be published soon.
<b>paySubscription RetrieveReply_instrumentIdentifierID</b>	<instrumentIdentifierID> is a new child element of <paySubscriptionRetrieve Reply>	Documentation for this field will be published soon.
<b>paySubscription RetrieveReply_instrumentIdentifier Status</b>	<instrumentIdentifier Status> is a new child element of <paySubscriptionRetrieve Reply>	Documentation for this field will be published soon.

Table 7 New Reply Fields for Version 1.135 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>paySubscription RetrieveReply_ instrumentIdentifierID New</b>	<instrumentIdentifierID New> is a new child element of <paySubscriptionRetrieve Reply>	Documentation for this field will be published soon.
<b>paySubscriptionDelete Reply_ instrumentIdentifierID</b>	<instrumentIdentifierID> is a new child element of <paySubscriptionDelete Reply>	Documentation for this field will be published soon.

# Release Notes for Version 1.134

## Version 1.134

---

### New Reply Fields

Table 8 New Reply Fields for Version 1.134

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>authIndicator</b>	<authIndicator> is a new child element of <replyMessage>.	<a href="#">Credit Card Services Using the Simple Order API</a>
<b>getVisaCheckoutData Reply_reasonCode</b>	<pre>&lt;getVisaCheckoutData Reply&gt; is a new child element of &lt;replyMessage&gt;.  &lt;getVisaCheckoutData Reply&gt;      &lt;reasonCode&gt;  &lt;/getVisaCheckoutData Reply&gt;</pre>	<a href="#">Visa Checkout Using the Simple Order API</a>

## Newly Documented Request Fields

Table 9 Newly Documented Request Fields

Name-Value Pair Field Name	Where Field Is Documented	Notes
<b>ccAuthService_ cardholderVerification Method</b>	<i>Card-Present Processing Using the Simple Order API</i>	This field was originally documented in Version 1.127

## Newly Documented Reply Fields

Table 10 Newly Documented Reply Fields

Name-Value Pair Field Name	Where Field Is Documented	Notes
<b>ccAuthReply_ reconciliationReference Number</b>	<i>Credit Card Services Using the Simple Order API</i>	This field was originally documented in Version 1.133
<b>ccCaptureReply_ reconciliationReference Number</b>	<i>Credit Card Services Using the Simple Order API</i>	This field was originally documented in Version 1.133
<b>ccCreditReply_ reconciliationReference Number</b>	<i>Credit Card Services Using the Simple Order API</i>	This field was originally documented in Version 1.133

# Release Notes for Version 1.133

## Version 1.133

### New Reply Fields

Table 11 New Reply Fields for Version 1.133

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apOptionsOptions_option</b>	<option> is a new child element of <apOptionsOptions>.	<a href="#">Online Bank Transfers Using the Simple Order API</a>
<b>bankTransferRefundReply_reconciliationReferenceNumber</b>	<reconciliationReferenceNumber> is a new child element of <bankTransferRefundReply>.	<a href="#">Ingenico ePayments Developer Guide</a>
<b>bankTransferReply_reconciliationReferenceNumber</b>	<reconciliationReferenceNumber> is a new child element of <bankTransferReply>.	<a href="#">Ingenico ePayments Developer Guide</a>
<b>bankTransferRealTimeReply_reconciliationReferenceNumber</b>	<reconciliationReferenceNumber> is a new child element of <bankTransferRealTimeReply>.	<a href="#">Ingenico ePayments Developer Guide</a>
<b>ccAuthReply_reconciliationReferenceNumber</b>	<reconciliationReferenceNumber> is a new child element of <ccAuthReply>.	Documentation for this field will be published soon.
<b>ccCaptureReply_reconciliationReferenceNumber</b>	<reconciliationReferenceNumber> is a new child element of <ccCaptureReply>.	Documentation for this field will be published soon.
<b>ccCreditReply_reconciliationReferenceNumber</b>	<reconciliationReferenceNumber> is a new child element of <ccCreditReply>.	Documentation for this field will be published soon.
<b>directDebitReply_reconciliationReferenceNumber</b>	<reconciliationReferenceNumber> is a new child element of <directDebitReply>.	<a href="#">Ingenico ePayments Developer Guide</a>



Table 11 New Reply Fields for Version 1.133 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>directDebitRefundReply</b> – <b>reconciliationReference</b> <b>Number</b>	<reconciliationReference Number> is a new child element of <directDebitRefundReply>.	<a href="#">Ingenico ePayments Developer Guide</a>
<b>taxReply_</b> <b>totalTaxableAmount</b>	<totalTaxableAmount> is a new child element of <taxReply>.	<a href="#">Tax Calculation Service Using the Simple Order API</a>
<b>taxReply_</b> <b>totalExemptAmount</b>	<totalExemptAmount> is a new child element of <taxReply>.	<a href="#">Tax Calculation Service Using the Simple Order API</a>
<b>taxReply_</b> <b>totalSpecialTaxAmount</b>	<totalSpecialTaxAmount> is a new child element of <taxReply>.	<a href="#">Tax Calculation Service Using the Simple Order API</a>
<b>taxReply_</b> <b>totalTaxCountry</b> <b>Amount</b>	<totalTaxCountryAmount> is a new child element of <taxReply>.	<a href="#">Tax Calculation Service Using the Simple Order API</a>
<b>taxReplyItem_</b> <b>taxableAmount</b>	<taxableAmount> is a new child element of <taxReplyItem>.	<a href="#">Tax Calculation Service Using the Simple Order API</a>
<b>taxReplyItem_</b> <b>exemptAmount</b>	<exemptAmount> is a new child element of <taxReplyItem>.	<a href="#">Tax Calculation Service Using the Simple Order AP</a>
<b>taxReplyItem_</b> <b>specialTaxAmount</b>	<specialTaxAmount> is a new child element of <taxReplyItem>.	<a href="#">Tax Calculation Service Using the Simple Order API</a>
<b>taxReplyItem_</b> <b>countryTaxAmount</b>	<countryTaxAmount> is a new child element of <taxReplyItem>.	<a href="#">Tax Calculation Service Using the Simple Order API</a>
<b>taxReplyItem_id</b>	<id> is a new child element of <taxReplyItem>.	Documentation for this field will be published soon.

Table 11 New Reply Fields for Version 1.133 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
taxReplyItem Jurisdiction_country	<taxReplyItem Jurisdiction> is a new child element of <replyMessage>.	<a href="#">Tax Calculation Service Using the Simple Order API</a>
taxReplyItem Jurisdiction_region	<taxReplyItem Jurisdiction>	
taxReplyItem Jurisdiction_type	<country>	
taxReplyItem Jurisdiction_code	<region>	
taxReplyItem Jurisdiction_taxable	<type>	
taxReplyItem Jurisdiction_rate	<code>	
taxReplyItem Jurisdiction_taxAmount	<taxable>	
taxReplyItem Jurisdiction_name	<rate>	
taxReplyItem Jurisdiction_taxName	<taxAmount>	
	<name>	
	<taxName>	
	</taxReplyItem Jurisdiction>	

## Renamed Reply Field

Table 12 New Reply Field for Version 1.133

Name-Value Pair Field Name	Notes for XML
apCaptureReply_transactionID was renamed to apCaptureReply_processorTransactionID	<apCaptureReply_transactionID> was renamed to <apCaptureReply_ processorTransactionID>.

# Release Notes for Version 1.132

## Version 1.132

### New Request Fields

Table 13 New Request Fields for Version 1.132

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>billTo_merchantTaxID</b>	<merchantTaxID> is a new child element of <billTo>.	Documentation for this field will be published soon.
<b>ccAuthService_overridePaymentDetails</b>	<overridePaymentDetails> is a new child element of <ccAuthService>.	Documentation for this field will be published soon.
<b>ccCreditService_overridePaymentDetails</b>	<overridePaymentDetails> is a new child element of <ccCreditService>.	Documentation for this field will be published soon.
<b>ccCreditService_overridePaymentMethod</b>	<overridePaymentMethod> is a new child element of <ccCreditService>.	Documentation for this field will be published soon.
<b>promotionGroup_prohibitDiscount</b>	<prohibitDiscount> is a new child element of <promotionGroup>.	Documentation for this field will be published soon.
<b>eligibilityInquiry</b>	<eligibilityInquiry> is a new child element of <requestMessage>.	Documentation for this field will be published soon.
<b>loan_assetType</b> <b>loan_type</b>	<loan> is a new child element of <requestMessage>.  <loan> <assetType> <type> </loan>	Documentation for these fields will be published soon.

Table 13 New Request Fields for Version 1.132 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>redemptionInquiry</b>	<redemptionInquiry> is a new child element of <requestMessage>.	Documentation for this field will be published soon.
<b>subsequentAuthFirst</b>	<subsequentAuthFirst> is a new child element of <requestMessage>.	<a href="#">Credit Card Services Using the Simple Order API</a>
<b>subsequentAuth Reason</b>	<subsequentAuthReason> is a new child element of <requestMessage>.	<a href="#">Credit Card Services Using the Simple Order API</a>
<b>subsequentAuth TransactionID</b>	<subsequentAuth TransactionID> is a new child element of <requestMessage>.	<a href="#">Credit Card Services Using the Simple Order API</a>

## New Reply Fields

Table 14 New Reply Fields for Version 1.132

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>ccAuthReply_transactionIntegrity</b>	<transactionIntegrity> is a new child element of <ccAuthReply>.	<a href="#">Credit Card Services Using the Simple Order API</a>
<b>encryptedPayment_errorCode</b>	<errorCode> is a new child element of <encryptedPayment>.	Documentation for this field will be published soon.
<b>encryptedPayment_referenceID</b>	<referenceID> is a new child element of <encryptedPayment>.	Documentation for this field will be published soon.
<b>installment_additionalCosts</b>	<additionalCosts> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_additionalCostsPercentage</b>	<additionalCostsPercentage> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_amountFunded</b>	<amountFunded> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_amountRequestedPercentage</b>	<amountRequestedPercentage> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_annualFinancingCost</b>	<annualFinancingCost> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_annualInterestRate</b>	<annualInterestRate> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_expenses</b>	<expenses> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_expensesPercentage</b>	<expensesPercentage> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_fees</b>	<fees> is a new child element of <installment>.	Documentation for this field will be published soon.

Table 14 New Reply Fields for Version 1.132 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>installment_ feesPercentage</b>	<feesPercentage> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_ firstInstallmentDate</b>	<firstInstallmentDate> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_ insurance</b>	<insurance> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_ insurancePercentage</b>	<insurancePercentage> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_ invoiceData</b>	<invoiceData> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_ monthlyInterestRate</b>	<monthlyInterestRate> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_ paymentType</b>	<paymentType> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_ taxes</b>	<taxes> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>installment_ taxesPercentage</b>	<taxesPercentage> is a new child element of <installment>.	Documentation for this field will be published soon.
<b>paymentAccount Reference</b>	<paymentAccountReference> is a new child element of <replyMessage>.	<a href="#">Card-Present Processing Using the Simple Order API</a>

# Release Notes for Version 1.131

## Version 1.131

### New Request Fields

Table 15 New Request Fields for Version 1.131

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>ap_apiKey</b>	<apiKey> is a new child element of <ap>.	Documentation for this field will be published soon.
<b>apSessionsService_cancelURL</b>	<apSessionsService> is a new child element of <requestMessage>.	Documentation for these fields will be published soon.
<b>apSessionsService_successURL</b>		
<b>apSessionsService_failureURL</b>	<cancelURL>	
<b>apSessionsService_reconciliationID</b>	<successURL>	
<b>apSessionsService_overridePayment Method</b>	<failureURL>	
<b>apSessionsService_run</b>	<reconciliationID>	
	<overridePayment Method>	
	<run>	
	</apSessionsService>	

Table 15 New Request Fields for Version 1.131 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apUI_colorBorder</b>	<apUI> is a new child element of <requestMessage>.	Documentation for these fields will be published soon.
<b>apUI_colorBorderSelected</b>	<apUI>	
<b>apUI_colorButton</b>	<colorBorder>	
<b>apUI_colorButtonText</b>	<colorBorderSelected>	
<b>apUI_colorCheckbox</b>	<colorButton>	
<b>apUI_colorCheckboxCheck Mark</b>	<colorButtonText>	
<b>apUI_colorHeader</b>	<colorCheckboxCheck Mark>	
<b>apUI_colorLink</b>	<colorHeader>	
<b>apUI_colorText</b>	<colorLink>	
<b>apUI_borderRadius</b>	<colorText>	
<b>apUI_theme</b>	<borderRadius>	
	<theme>	
	</apUI>	

## Renamed Request Field

Table 16 New Reply Field for Version 1.131

Name-Value Pair Field Name	Notes for XML
<b>personalId</b>	<personalId> was renamed to <personalID>.
<b>personalID</b>	



## New Reply Fields

Table 17 New Reply Fields for Version 1.131

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented	
<b>apSessionsReply_ reasonCode</b>	<apSessionsReply> is a new child element of <replyMessage>.	Documentation for these fields will be published soon.	
<b>apSessionsReply_ responseCode</b>	<apSessionsReply>  <reasonCode>		
<b>apSessionsReply_ merchantURL</b>	<responseCode>  <merchantURL>		
<b>apSessionsReply_ processorToken</b>	<processorToken>  </apSessionsReply>		
<b>dmeReply_cardBin</b>	<cardBin> is a new child element of <dmeReply>.		<i>CyberSource Decision Manager Account Takeover Protection Service</i>
<b>dmeReply_binCountry</b>	<binCountry> is a new child element of <dmeReply>.		<i>CyberSource Decision Manager Account Takeover Protection Service</i>
<b>dmeReply_ cardAccountType</b>	<cardAccountType> is a new child element of <dmeReply>.	<i>CyberSource Decision Manager Account Takeover Protection Service</i>	
<b>dmeReply_cardScheme</b>	<cardScheme> is a new child element of <dmeReply>.	<i>CyberSource Decision Manager Account Takeover Protection Service</i>	
<b>dmeReply_cardIssuer</b>	<cardIssuer> is a new child element of <dmeReply>.	<i>CyberSource Decision Manager Account Takeover Protection Service</i>	

# Release Notes for Version 1.130

## Version 1.130

### New Request Fields

Table 18 New Request Fields for Version 1.130

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>ccAuthService_dccRequestID</b>	<code>&lt;dccRequestID&gt;</code> is a new child element of <code>&lt;ccAuthService&gt;</code>	Documentation for this field will be published soon.
<b>getVisaCheckoutDataService_run</b>	<p><code>&lt;getVisaCheckoutDataService&gt;</code> is a new child element of <code>&lt;requestMessage&gt;</code>.</p> <pre> &lt;getVisaCheckoutDataService&gt;   &lt;run&gt; &lt;/getVisaCheckoutDataService&gt; </pre>	<a href="#">Visa Checkout Using the Simple Order API</a>
<b>recipient_billingConversionRate</b>	<code>&lt;billingConversionRate&gt;</code> is a new child element of <code>&lt;recipient&gt;</code>	Documentation for this field will be published soon.
<b>transactionMetadata_authRequestID</b>	<code>&lt;transactionMetadata&gt;</code> is a new child element of <code>&lt;requestMessage&gt;</code> .	Documentation for these fields will be published soon.
<b>transactionMetadata_customerSignatureImage</b>	<pre> &lt;transactionMetadata&gt;   &lt;authRequestID&gt;   &lt;customerSignatureImage&gt; &lt;/transactionMetadata&gt; </pre>	

## New Reply Fields

Table 19 New Reply Fields for Version 1.130

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>decisionReply_ morphingElement_#_ count</b>	<morphingElement_#_ count> is a new child element of <decisionReply>.	<i>CyberSource Decision Manager Using the Simple Order API Developer Guide</i>
<b>decisionReply_ morphingElement_#_ fieldName</b>	<morphingElement_#_ fieldName> is a new child element of <decisionReply>.	<i>CyberSource Decision Manager Using the Simple Order API Developer Guide</i>
<b>decisionReply_ morphingElement_#_ infoCode</b>	<morphingElement_#_ infoCode> is a new child element of <decisionReply>.	<i>CyberSource Decision Manager Using the Simple Order API Developer Guide</i>
<b>dmeReply_ eventVelocityInfoCode</b>	<eventVelocityInfoCode> is a new child element of <dmeReply>.	Documentation for this field will be published soon.
<b>dmeReply_ morphingElement_#_ count</b>	<morphingElement_#_ count> is a new child element of <dmeReply>.	<i>CyberSource Decision Manager Account Takeover Protection Service</i>
<b>dmeReply_ morphingElement_#_ fieldName</b>	<morphingElement_#_ fieldName> is a new child element of <dmeReply>.	<i>CyberSource Decision Manager Account Takeover Protection Service</i>
<b>dmeReply_ morphingElement_#_ infoCode</b>	<morphingElement_#_ infoCode> is a new child element of <dmeReply>.	<i>CyberSource Decision Manager Account Takeover Protection Service</i>
<b>feeProgramIndicator</b>	<feeProgramIndicator> is a new child element of <replyMessage>.	Documentation for this field will be published soon.

# Release Notes for Version 1.129

## Version 1.129

---

### New Request Fields

Table 20 New Request Fields for Version 1.129

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>octService_networkOrder</b>	<networkOrder> is a new child element of <octService>	Documentation for this field will be published soon.
<b>recipient_billingAmount</b>	<billingAmount> is a new child element of <recipient>.	Documentation for this field will be published soon.
<b>recipient_billingCurrency</b>	<billingCurrency> is a new child element of <recipient>.	Documentation for this field will be published soon.
<b>developerID</b>	<developerID> is a new child element of <requestMessage>	Documentation for this field will be published soon.
<b>partnerSolutionID</b>	<partnerSolutionID> is a new child element of <requestMessage>	Documentation for this field will be published soon.

## New Reply Fields

Table 21 New Reply Fields for Version 1.129

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
recipient_ billingAmount	<billingAmount> is a new child element of <recipient>.	Documentation for this field will be published soon.
recipient_ billingCurrency	<billingCurrency> is a new child element of <recipient>.	Documentation for this field will be published soon.

# Release Notes for Version 1.128

## Version 1.128

---

There are no field changes in this version.

# Release Notes for Version 1.127

## Version 1.127

---

### New Request Fields

Table 22 New Request Fields for Version 1.127

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>ap_device</b>	<device> is a new child element of <ap>	Documentation for this field will be published soon.
<b>apDevice_id</b> <b>apDevice_type</b> <b>apDevice_userAgent</b>	<apDevice> is a new child element of <requestMessage>. <apDevice> <id> <type> <userAgent> </apDevice>	Documentation for this field will be published soon.
<b>ccAuthService_cardholderVerificationMethod</b>	<cardholderVerificationMethod> is a new child element of <ccAuthService>	Documentation for this field will be published soon.
<b>emvRequest_fallbackCondition</b>	<fallbackCondition> is a new child element of <emvRequest>	Documentation for this field will be published soon.

## New Reply Fields

Table 23 New Reply Fields for Version 1.127

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>emvRequest_ fallbackCondition</b>	<paymentCardService> is a new child element of <ccAuthReply>	Documentation for this field will be published soon.

## Newly Documented Request Fields

Table 24 Newly Documented Request Fields

Name-Value Pair Field Name	Where Field Is Documented	Notes
<b>issuer_additionalData</b>	<i>Credit Card Services Using the Simple Order API</i>	This field was originally documented in Version 1.126
<b>paymentNetworkToken_ deviceTechType</b>	<i>Android Pay Using the Simple Order API</i> and <i>Payment Network Tokenization Using the Simple Order API</i>	This field was originally documented in Version 1.126.



# Newly Documented Reply Fields

Table 25 Newly Documented Reply Fields

<b>Name-Value Pair Field Name</b>	<b>Where Field Is Documented</b>	<b>Notes</b>
<b>token_prefix</b>	<i>Credit Card Services Using the Simple Order API and Android Pay Using the Simple Order API</i>	This field was originally documented in Version 1.126
<b>token_suffix</b>	<i>Credit Card Services Using the Simple Order API and Android Pay Using the Simple Order API</i>	This field was originally documented in Version 1.126
<b>token_expirationMonth</b>	<i>Credit Card Services Using the Simple Order API and Android Pay Using the Simple Order API</i>	This field was originally documented in Version 1.126
<b>token_expirationYear</b>	<i>Credit Card Services Using the Simple Order API and Android Pay Using the Simple Order API</i>	This field was originally documented in Version 1.126

# Release Notes for Version 1.126

## Version 1.126

### New Request Fields

Table 26 New Request Fields for Version 1.126

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apOptionsService_limit</b>	<apOptionsService> is a new child element of <requestMessage>.	<i>Online Bank Transfer Services Using the Simple Order API</i>
<b>apOptionsService_offset</b>		
<b>apOptionsService_run</b>	<apOptionsService> <limit> <offset> <run> </apOptionsService>	
<b>apSaleService_paymentOptionID</b>	<paymentOptionID> is a new child element of <apSaleService>	<i>Online Bank Transfer Services Using the Simple Order API</i>
<b>apSaleService_transactionTimeout</b>	<transactionTimeout> is a new child element of <apSaleService>	<i>Online Bank Transfer Services Using the Simple Order API</i>
<b>issuer_additionalData</b>	<issuer> is a new child element of <requestMessage>. <issuer> <additionalData> </issuer>	Documentation for this field will be published soon.
<b>paymentNetworkToken_deviceTechType</b>	<deviceTechType> is a new child element of <paymentNetworkToken>	Documentation for this field will be published soon.

## New Reply Fields

Table 27 New Reply Fields for Version 1.126

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>apOptionsOption_data</b>	<apOptionsOption> is a new child element of <replyMessage>.	<a href="#">Online Bank Transfer Services Using the Simple Order API</a>
<b>apOptionsOption_id</b>		
<b>apOptionsOption_name</b>		
	<data>	
	<id>	
	<name>	
	</apOptionsOption>	
<b>apOptionsReply_reasonCode</b>	<apOptionsReply> is a new child element of <replyMessage>.	<a href="#">Online Bank Transfer Services Using the Simple Order API</a>
<b>apOptionsReply_responseCode</b>	<apOptionsReply>	
	<reasonCode>	
<b>apOptionsReply_offset</b>	<responseCode>	
<b>apOptionsReply_count</b>	<offset>	
<b>apOptionsReply_totalCount</b>	<count>	
<b>apOptionsReply_option</b>	<totalCount>	
	<option>	
	</apOptionsReply>	
<b>ccAuthReply_paymentCardService</b>	<paymentCardService> is a new child element of <ccAuthReply>	<a href="#">Payment Network Tokenization Using the Simple Order API</a>
<b>ccAuthReply_paymentCardService Result</b>	<paymentCardService Result> is a new child element of <ccAuthReply>	<a href="#">Payment Network Tokenization Using the Simple Order API</a>
<b>ccAuthReply_transaction Qualification</b>	<transaction Qualification> is a new child element of <ccAuthReply>	<a href="#">Payment Network Tokenization Using the Simple Order API</a>
<b>ccAuthReversalReply_paymentCardService</b>	<paymentCardService> is a new child element of <ccAuthReversalReply>	<a href="#">Payment Network Tokenization Using the Simple Order API</a>
<b>ccAuthReversalReply_paymentCardService Result</b>	<paymentCardService Result> is a new child element of <ccAuthReversalReply>	<a href="#">Payment Network Tokenization Using the Simple Order API</a>

Table 27 New Reply Fields for Version 1.126 (Continued)

Name-Value Pair Field Name	Notes for XML	Where Field Is Documented
<b>issuer_additionalData</b>	<p data-bbox="698 342 1096 405">&lt;issuer&gt; is a new child element of &lt;replyMessage&gt;.</p> <pre data-bbox="698 422 1096 541"> &lt;issuer&gt;   &lt;additionalData&gt; &lt;/issuer&gt; </pre>	Documentation for this field will be published soon.
<b>token_prefix</b>	<p data-bbox="698 562 1079 625">&lt;token&gt; is a new child element of &lt;replyMessage&gt;.</p> <pre data-bbox="698 642 1079 911"> &lt;token&gt;   &lt;prefix&gt;   &lt;suffix&gt;   &lt;expirationMonth&gt;   &lt;expirationYear&gt; &lt;/token&gt; </pre>	Documentation for this field will be published soon.
<b>token_suffix</b>		
<b>token_expirationMonth</b>		
<b>token_expirationYear</b>		